

# Housing brackets - HC-STA-B10-24-DL-PLBK - 1412886

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Double locking latch for B10 / B16 / B24 housing, HC-EVO....AL and HC-STA....AL



COMPLIANT

## Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356986601

## Technical data

### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

### General

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------


### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

# Housing brackets - HC-STA-B10-24-DL-PLBK - 1412886

Dimensional drawing



Dimensional drawing

## Approvals

Approvals

---

Approvals

EAC / DNV GL

---

Ex Approvals

## Approval details

EAC		RU C- DE.AI30.B.01102
-----	--	--------------------------

DNV GL		<a href="https://approvalfinder.dnvgl.com/">https://approvalfinder.dnvgl.com/</a>	TAE000037S
--------	--	---	------------

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>