




C-1775290

METRIC
3RD ANGLE PROJECTION

PROJ DW
THIS DRAWING IS COMPLETE AND TO BE USED AS SHOWN. NO PARTS OR SUBASSEMBLIES TO BE ORDERED SEPARATELY UNLESS SPECIFICALLY NOTED.
DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.



1.8 VOLT
DETAIL B
SCALE 2:1

- NOTES:
- MATERIAL:
 - HOUSING: THERMOPLASTIC(PA46) UL94V-0; COLOR: BLACK.
 - EXTRACTOR: THERMOPLASTIC(PA66) UL94V-0; COLOR: WHITE.
 - CONTACTS: PHOSPHOR BRONZE.
 - BOARDLOCK: BRASS.
 - FINISH:
 - CONTACT: GOLD PLATING(SEE TABLE) PLATING ON CONTACT AREA, 2.54µm(100µ")MIN. MATTE TIN PLATING ON SOLDER TAILS, 1.27µm(50µ")MIN. NICKEL UNDERPLATING OVERALL.
 - BOARDLOCK: 1.27µm(50µ")MIN. NICKEL PLATING OVERALL.
 - RECOMMENDED PCB THICKNESS: 1.6mm.
 - WAVE SOLDER CAPABLE TO 285°C. PER TYCO SPEC. 108-202, CONDITION B.

RECOMMENDED PCB LAYOUT
PCB TOLERANCE : ±0.05

0.762µm (30µ")	1775290-2
0.381µm (15µ")	1775290-1
MIN. GOLD PLATING	PART NUMBER

TOLERANCES UNLESS OTHERWISE SPECIFIED: Ø FLD ± 1 FLD ±0.3 2 FLD ±0.2 3 FLD ± ANGLES ±3°	OWN 26-APR-2008	B. MOLE 26-APR-2008	TYCO MOBIL RELEASES (GERMANY) VI LTD. TAIWAN BRANCH
MATERIAL SEE NOTE	CHK W.L. KE 25-APR-2008	W.L. KE 25-APR-2008	Electronic NAME
FINISH SEE NOTE	APVD W.L. KE 25-APR-2008	PRODUCT SPEC 108-57817	DIWIM DURI SOCKET 240 POSITION VERTICAL LOW PROFILE CONNECTOR
	QUALIFICATION TEST REPORT G01-57718	LOC DW	SIZE A5
	WEIGHT 1.47 GRAM	DRAWING NO C-1775290	REV A
		SCALE --	SHEET 1 OF 3








A	FIRST RELEASED	---	SH	DATE
LTR	REVISION RECORD	ECH	DATE	

REVISION C-1775290

METRIC 3RD ANGLE PROJECTION

METRIC


THIS DRAWING IS TO BE MADE IN ACCORDANCE TO THE DIMENSIONS IN MILLIMETERS. DO NOT SCALE PRINT.



SEE SHEET 1	REVISION RECORD	ECN	DATE
-------------	-----------------	-----	------

TOLERANCES UNLESS OTHERWISE SPECIFIED: D 1 PLC ± 0.05 S 1 PLC ± 0.05 H 1 PLC ± 0.05 ANGLES ± 3'	DWG	S. HENDI 25-APR-2008	 TIKO HOLDING (BERHAJAH) M LTD. TANJUNg BERAH
	CHK	W.J. KE 25-APR-2008	
MATERIAL	APVD	W.J. KE 25-APR-2008	DINAM DORJI SOCKET 24D POSITION VERTICAL LOW PROFILE CONNECTOR
FINISH	QUALIFICATION TEST REPORT	LOG DW	DW A3 C-1775290 SCALE: -- SHEET: 2 OF 3

CUSTOMER DRAWING



- NOTE:
1. MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON: CORRUGATED FIBERBOARD
 2. DIMENSION:
 - 2.1 TRAY: L=366, W=255, H=33
 - 2.2 SHIPPING CARTON: L=385, W=270, H=365
 3. QUANTITY:
 - 3.1 PRIMARY PACKING: 50 PCS/TRAY
 - 3.2 SECONDARY PACKING: 10 TRAYS/CORTON(500PCS)
 4. WEIGHT:
 - 4.1 NET WEIGHT: 5.9KG
 - 4.2 GROSS WEIGHT: 6.73KG

DW

SEE SHEET 1			
LTR	REVISION RECORD	ECH	DATE

TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P/LC ± 1 P/LC ± 2 P/LC ± 3 P/LC ± ANGLES ±	DWG 26-APR-2008 CHK W.L. KE 22-APR-2008 NAME	tyco Electronics TYCO HOLDINGS (BERMUDA) VI LTD. JAWAH BRANCH
MATERIAL SEE NOTE	APVD W.L. KE 22-APR-2008 PRODUCT SPEC -	DIMM DORJI SOCKET 24D POSITGV VERTICAL LOW PROFILE CONNECTOR
FINISH SEE NOTE	APPLICATION SPEC - WEIGHT -	LOG DW SCALE --
		DRAWING NO C-1775290 SHEET 3 OF 3