



## SFP28 25G LR, 1310nm SMF Transceiver Extended Temperature

### Features

- Compatible with CPRI option10 24.33Gbps and 25GBASE 25.78Gbps
- Up to 10km transmission on SMF
- 1310nm DML laser transmitter
- SFP28 MSA compliant
- Built-in digital diagnostic functions
- Single +3.3V power supply
- Operating case temperature: -40 to +85 °C
- RoHS 6 Compliant



### Applications

- 25GBASE-LR
- 24.33Gbps CPRI

### Compliances

- Compliant to SFF-8402, SFF-8432.
- Compliant to IEEE802.3ba
- DDM Compliant with SFF-8472 SFP+ MSA.
- RoHS Compliant6



## Description

The transceiver is designed for 24.33Gbps and 25.78Gbps data rate over SMF and support up to 10km link length. Digital Diagnostic Monitoring interface is available via an I2C interface.

## Environmental Specifications

Parameter	Min.	Typ.	Max.	Unit
Operation Temperature	-40		+85	°C
Storage Temperature	-40	-----	+85	°C
Operation Humidity*	5	-----	85	%
Storage Humidity	5	-----	85	%

(\*) not condensing

## Operating Specifications

Parameter	Min.	Typ.	Max.	Unit
Supply Voltage	3.135	+3.3	+3.465	V
Power Dissipation			1.5	W
Transmission Distance			10	Km

## Optical Specifications

### Transmitter:

Parameter	Min.	Typ.	Max.	Unit
Wavelength	1295	1310	1325	nm
Average Optical Power	-4.5		2.5	dBm
Optical Modulation Amplitude, 25GE	-2			dBm
OMA-TDP, 25GE	-3			dBm
Transmitter OFF Output Power			-30	dBm
Side Mode Suppression Ratio	30			dB
Extinction Ratio (ER)	3.5			dB
Transmitter and Dispersion Penalty			2.7	dB
Optical Return Loss Tolerance			11	dB

### Receiver:

Parameter	Min.	Typ.	Max.	Unit
Input Wavelength	1260	1310	1355	nm
Stressed OMA Sensitivity, 25GE			-8.3	dBm
OMA Sensitivity, 25GE@1E-12			-9.6	dBm
Average Rx Sensitivity, 25GE@1E-12			-11.4	dBm
Receiver Overload	2.5			dBm
Receiver Reflectance			-26	dB
LOSA	-30		-17	dBm
LOSD			-17	dBm
Hysteresis	0.5			dB

## Ordering information

Jabil Part Number	Package	Rate	Reach	Other info
JPS825LRLCE000L13	SFP28	25G	10Km	DDM/RoHS

## Contact information

Chuck Sinha, Sr. Director of Sales  
 Jabil Photonics  
 5960 Inglewood Dr. Suite 100, Pleasanton, CA  
 Mobile: 408-505-0955  
 Email: Chuck\_Sinha@Jabil.com