


Data sheet | Item number: 706-3340/402-200

System cable; for Schneider Modicon M340; 4 analog inputs for RTD;

Length: 2 m; Conductor cross-section: 0.25 mm²

www.wago.com/706-3340/402-200



Color coding acc. to DIN VDE 47100	25 poles Sub-D connector		PLC connector	
	Pin number	Wiring	Pin number	Signal
White	1	IN0+	17A	MS0+
Brown	2	IN0-	17B	MS0-
Green	3	IN1+	16A	EX0+
Yellow	4	IN1-	16B	EX0-
Grey	5	IN2+	12A	MS1+
Pink	6	IN2-	12B	MS1-
Blue	7	IN3+	11A	EX1+
Red	8	IN3-	11B	EX1-
Black	9	IN4+	7A	MS2+
Violet	10	IN4-	7B	MS2-
Grey-Pink	11	IN5+	6A	EX2+
Red-Blue	12	IN5-	6B	EX2-
White-Green	13	IN4+	2A	MS3+
Brown-Green	14	IN4-	2B	MS3-
White-Yellow	15	IN5+	1A	EX3+
Yellow-Brown	16	IN5-	1B	EX3-
White-Grey	17	nc	nc	nc
Grey-Brown	18	nc	nc	nc
White-Pink	19	nc	nc	nc
Pink-Brown	20	nc	nc	nc
White-Blue	21	nc	nc	nc
Brown-Blue	22	nc	nc	nc
White-Red	23	nc	nc	nc
Brown-Red	24	nc	nc	nc
White-Black	25	nc	nc	nc
Shield	Connected to Sub-D			

Data
Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Electrical data

Inputs/outputs	4 analog inputs; for RTD
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

Compatibility

Schneider

Schneider Modicon M340	BMX ART 0414 BMX ART 0814
------------------------	------------------------------

Connection data

Cable type	LIYCY
Color code	per DIN VDE 47100

Connection 1

Connector	D-subminiature female connector
Pole number 1	25
Connection type 1	System
Wire cross-section	0.25 mm ²

Connection 2

Connector 2	Fujitsu FCN-367-J40/AU/H
Pole number 2	40
Connection type 2	System

Physical data

Cable length	2 m
--------------	-----

Material Data

Weight	233 g
--------	-------

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Subject to changes. Please also observe the further product documentation!



Commercial data

Product Group	30 (WAGO France)
ETIM 8.0	EC000237
ETIM 7.0	EC000237
PU (SPU)	1 pcs
Country of origin	FR
GTIN	4045454879426
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide	pdf	Download
This guide will help you select the appropriate interface modules and system cables for the controller you are using.	545.9 kB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3340/402-200	URL	Download
System cable; for Schneider Modicon M340; 4 analog inputs for RTD; Length: 2 m; Conductor cross-section: 0.25 mm ²		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.