


REV ISIONS				
ZONE	ITR	DESCRIPTION	DATE	APPROVED
	D	REDRAWN	DGD 09401	6-26-79 <i>[Signature]</i>



NOTES:

- THIS PART DESIGNED FOR USE WITH RAYCHEM FLAT CABLE SYSTEM TO PROVIDE SHIELD TERMINATION AND/OR CIRCUIT BUSSING.
- REMOVE UNWANTED TEETH AT .30 DIMENSION BY BENDING SHARPLY OR USING CUTTERS.
- CUT BETWEEN TEETH AT ANY DESIRED POINT FOR NARROW BUSSBARS. SMALLER SECTIONS MAY BE USED TOGETHER TO MAKE LARGER SECTIONS.
- MATERIAL: COPPER ALLOY.
- FINISH: SOLDER COATED PER QQ-S-571 (SN 63) AND COATED WITH RMA FLUX.

© Raychem Corporation 1979

CONNECTOR SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES BRACKETED DIMENSIONS () ARE METRIC AND TOLERANCES ARE: .xxx: ± .005 (12.7mm) .xx: ± .020 (5.08mm) Δ: ±	DRAWN	A.M. LEE	4-27-79	Raychem <small>RAYCHEM CORPORATION 3900 CRYSTAL DRIVE MENLO PARK, CALIFORNIA 94025</small>	
	CHECKED	<i>[Signature]</i>	6-26-79		
	APPROVED	<i>[Signature]</i>	7-2-79		
	APPROVED				
				TITLE	BUSSBAR .100/.200 LOW CURRENT
				SIZE	C
				CODE IDENT	NO. 06090
				DWG. NO.	CTA-0002
				WEIGHT	SHEET 1 OF 1

If this document is printed it becomes uncontrolled.
Check with the web for latest revision.

DO NOT SCALE THIS DRAWING