


TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING



.X ±0.25 .XX ±0.13

.XXX ±0.05


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



| | COMBINATION D-SUB | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|--|--------------------------------------|---|--------------------------------------|--------------------|-------|--|
| | | | DRAWN: C.B | DATE: JAN. 01/2019 | | |
| | | | CHECKED: | DATE: | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 630-47W1240-5NE | | ISSUE | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630-47W | 1240-5NE | 1 | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.







THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




24W7 Male/Female

2W2 / 2WK2








7W2 Male/Female


5W1 Male/Female



ISSUE NUMBER


 $\overline{(1)}$


5W5 Male






3W3 / 3WK3






11W1 Male/Female


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female




| | | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | |
|--------------------|--------------------------------------|--|---------------------------|--------------------------------------|----------|---------|-------|---|
| | | | DRAWN: C.B | | DATE: 、 | IAN. 01 | /2019 | 9 |
| | | | CHECKED: | | DATE: | | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | | SHEET | 3 (| OF | 4 |
| | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 630-47W12 | 1240-5NE | | | ISSUE | |
| YOUR CONNECTION TO | | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: | 630-47W | 1240-5NE | | | 1 |


5W5 Female

COMPLIANT




8W8 Female





17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male






25W3 Male





24.77

PCB EDGE



31.75

32.00

15.50

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

20.70

13.72

PCB EDGE

13W6 Female

13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

43W2 Female





17W5 Male














| | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|--|--|--|--------------------------------------|------------|-------|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 |)19 | | |
| | | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 | |
| | EDAC INC TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 630-47W | 1240-5NE | ISSUE | |
| COMPLIANT 2011/65/EU FOR RoHS COMPLIANCY. | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630-47W | 1240-5NE | 1 | |