



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL


(1)







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-2W2-	-624-5TE	ISSUE
YOUR	CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-2W2-	-624-5TE	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

8W8 Male

33 3D

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female

		33.30 8.60, 16.60 1.30 9.9 1.40 1.40 1		63.50 31.75 08 9.70 09 9.70 00 9.70 00 00 9.70 00 9.70 00 00 9.70 00 00 9.70 00 00 00 00 00 00 00 00 00 00 00 00 00	and a state of the
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 14.49 14.49 0 0 0 0 0 0 0 0 0 0 0 0 0	8W8 Female	33.30 16.65 9.70		63.50 31.75 ++++++++++++++++++++++++++++++++++++	- and
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	φΑ				5 ²⁸
		COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY	
	COMBIN			DATE: JAN. 01/2019	
				DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES		ARE THE FROFERTT OF EDAG ING., AND	DUALE. N.I.O		- 4
	CANAD		DRAWING NUMBER: 628-2W2	-624-5TE	ISSUE

2011/65/EU FOR RoHS COMPLIANCY.

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.
AF SH OF M/

DRAWN: C.B		DATE: JAN. 01/2	2019
CHECKED:		DATE:	
SCALE: N.T.S		SHEET 3 OI	= 4
DRAWING NUMBER:	628-2W2-	624-5TE	ISSUE
PART NUMBER:	628-2W2-	624-5TE	1



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77






13W6 Male



43W2 Male








43W2 Female

47W1 Female




17W5 Male

COMPLIANT











17W5 Female





			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-2W2-624-5TE		ISSUE
			PART NUMBER: 628-2W2	-624-5TE	1

13W6 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female