

ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	2053410206	PICO-LOCK 2.0 W/B REC HSG 6P	2	PC
C	2053425028	PICO-LOCK 2.0 W/B REC TERM PL AWG#20-22	12	PC
D	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B6	1X20AWG DISC SR-PVC BK UL10002	BLACK
A2	B5	1X20AWG DISC SR-PVC BK UL10002	BLACK
A3	B4	1X20AWG DISC SR-PVC BK UL10002	BLACK
A4	B3	1X20AWG DISC SR-PVC BK UL10002	BLACK
A5	B2	1X20AWG DISC SR-PVC BK UL10002	BLACK
A6	B1	1X20AWG DISC SR-PVC BK UL10002	BLACK




TABLE			
PART NUMBER	L1	L2 (REF)	TITLE
2196562060	50±3	15	Pico-Lock 2.0 R-R 6ckt 50mm disc Au
2196562061	100±3	15	Pico-Lock 2.0 R-R 6ckt 100mm disc Au
2196562062	150±4	15	Pico-Lock 2.0 R-R 6ckt 150mm disc Au
2196562063	300±4	15	Pico-Lock 2.0 R-R 6ckt 300mm disc Au
2196562064	600±6	15	Pico-Lock 2.0 R-R 6ckt 600mm disc Au

NOTES

1. Cable assembly must pass 100% continuity and polarity test.
2. Connector view shown is from mating side.
3. Label text must be 2mm max. in height with Arial font.
4. Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2021/12/27	A	INITIAL RELEASE	SAIKIG

FUNCTIONAL SYMBOLS $\frac{E}{A} = 0$ $\frac{E}{E} = 0$ $\frac{E}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:				
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)				
	mm	NTS	ANGULAR TOL ± °				
	4 PLACES ±		3 PLACES ±				
3 PLACES ±		2 PLACES ±		EC NO: 690897	PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER: 2196562060 DOC TYPE: PSD DOC PART: 000 REVISION: A		
2 PLACES ±		1 PLACE ±		DRWN: SAIKIG 2021/12/27			
1 PLACE ±		0 PLACES ±		CHK'D: MNARAYAN01 2022/01/13			
0 PLACES ±		INITIAL REVISION:		APPR: MNARAYAN01 2022/01/13			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
			A4-SIZE	219656	SEE TABLE	GENERAL MARKET	1 OF 1