

# Bandkontaktbuchse 1 mm

- Einsatzbereich:**
- 617 Isolierkörper 12-polig
  - 917 Isolierkörper 7-polig
  - 623 Isolierkörper 10/12/17/16+3-polig
  - 923 Isolierkörper 8/9-polig, 9-polig B
  - 627 Isolierkörper 26-polig

**TE Teile Nr.: 60-0199-080-000**  
**IC Ref. Nr.: 60.199.80**

### Elektrische Werte

Bemessungsstrom max. 3 A\*  
Durchgangswiderstand < 5 mOhm

### Werkstoff

Kontakt Federbronze,  
aktiver Bereich vergoldet

### Anschluss


Anschlussart/-bereich offener Crimp  
0,08 - 0,20 mm<sup>2</sup>  
max. Litzenaußendurchmesser ø1,3 mm  
Abisolierlänge 2,7 mm

### Mechanische Werte

Steckzyklen 500

### Werkzeuge (nicht im Lieferumfang enthalten)

Handcrimpzange TE Teile Nr.: C0-0078-000-000  
IC Ref. Nr.: C0.078.00



### Hauptabmessungen

Bandkontaktbuchsen





# Bandoleer Contact Socket 1 mm

- for: - 617 Insulation Insert 12-pin  
 - 917 Insulation Insert 7-pin  
 - 623 Insulation Insert 10/12/17/16+3-pin  
 - 923 Insulation Insert 8/9-pin, 9-pin B  
 - 627 Insulation Insert 26-pin

**TE part number: 60-0199-080-000**  
**IC reference number: 60.199.80**

**Electrical Data**

rated current max. 3 A\*  
 contact resistance < 5 mOhm

**Material**

contact phosphorus bronze,  
 active area gold plated

**Termination**



cross-section open crimp  
 0.08 - 0.20 mm<sup>2</sup>  
 max. outer wire diameter ø1.3 mm  
 stripping length 2.7 mm

**Mechanical Data**

mating cycles 500

**Tools** (not part of product contents)

crimping tool TE part no.: C0-0078-000-000  
 IC ref. no.: C0.078.00



**Main Dimensions**  
 bandoleer contact socket

Y6-B380-000-0EN issued: 03.05.2010/Ra; modified: 31.10.2019/KC

© 2019 TE Connectivity

TE Connectivity, TE connectivity (logo), intercontec (logo) and speedtec are trademarks.

While TE Connectivity (TE) has made every reasonable effort to ensure the accuracy of the information in this presentation, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this article are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

TE Connectivity Industrial GmbH  
 Bernrieder Straße 15  
 94559 Niederwinkling, Germany  
 +49 9962 2002 - 0  
[intercontec@te.com](mailto:intercontec@te.com)  
[www.intercontec.biz](http://www.intercontec.biz)



\* for max. wire cross-section