

Stripping tool - WIREFOX SAC-1 - 1212757

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Stripping pliers, for halogen-free sensor/actuator cables (SAC cables), with PUR and PVC insulation, from Ø of 3.2 to 4.4 mm, any stripping length

Your advantages

WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Key Commercial Data

| | |
|--------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 948487 |
| GTIN | 4046356948487 |

Technical data

Dimensions

| | |
|------------------|-------------------|
| Length (b) | 165 mm |
| Cable diameter | 3.2 mm ... 4.4 mm |
| Stripping length | 100 mm |

General

| | |
|--------------------|---------------------|
| Color | black |
| Weight | 126 g |
| Min. cross section | 2.5 mm ² |
| Max. cross section | 4 mm ² |


Environmental Product Compliance

| | |
|---------------------------|---|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---|

Drawings

Stripping tool - WIREFOX SAC-1 - 1212757

Schematic diagram



Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|--|--------------------------|
| EAC | | RU x- DE.xx08.B.02974 |
|-----|--|--------------------------|



Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>