






REVISIONS				
REV	DESCRIPTION	DATE	BY	APP'D
A	INITIAL DRAWING	18OCT2021	TL	HL



RECOMMEND PCB-HOLE LAYOUT
COMPONENT SIDE SHOWN
TOLERANCE ±0.05



- 1 MATERIAL:
CONTACT: COPPER ALLOY.
HOUSING: GLASS-FILLED POLYESTER.
- 2 GENERAL PLATING SPECIFICATION: UNDERPLATING
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION
PIN: 0.5µm MIN TIN.
FOR PLATING OF MATING SURFACES SEE APPLICABLE
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 2.
- 4 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.

2/3	2391876-1
FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG: TONY LI 27MAY2021	TE Connectivity Ltd.
DIMENSIONS: mm		CHK: ALEX XU 27MAY2021	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: HOPE LU 27MAY2021	MALE ASSEMBLY, Z-PACK 2mm HM, 125P TYPE B EON
0-PLC ±		PRODUCT SPEC: 108-19082	RESTRICTED TO
1-PLC ±0.2		APPLICATION SPEC: 114-160149	SIZE: A1
2-PLC ±		WEIGHT: 0	CAGE CODE: 00779
3-PLC ±		SCALE: 4:1	DRAWING NO: 2391876
4-PLC ±		SHEET: 1 of 1	REV: A
ANGLES: ±		CUSTOMER DRAWING	