

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **2072620193**
Status: **Active**
Overview: Sliver Edge Card Connector and Cable Assemblies
Description: 0.60mm Pitch Sliver Edge Card Connector, Straddle-Mount, 32 Gbps, 1.93mm PCB Thickness, 4C, 140 Circuits, with Metal Key

Documents:

3D Model	Product Specification 2072620193-PS-000 (PDF)
3D Model (PDF)	Symbol Footprint Data 2072620193-000 (PDF)
Drawing (PDF)	RoHS Certificate of Compliance (PDF)

General

Product Family	Edge Card Connectors
Series	<u>207262</u>
Component Type	Edgecard to PCB
Data Rate	32.0 Gbps
Edge Card Thickness	1.57mm
High Power Bay (30.0A or more)	No
Orientation	Straddle-Mount
Overview	<u>Sliver Edge Card Connector and Cable Assemblies</u>
Product Name	Sliver
Standard Based	General
UPC	191130504480

Physical

(p)ower-(s)ignal Configuration	140s - 0p
Circuit Size Range	65-200 Circuits
Circuits (Loaded)	140
Color - Resin	Black
Durability (mating cycles max)	200
Keying to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Matte Tin
Material - Resin	Liquid Crystal Polymer
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness - Recommended	1.93mm
Packaging Type	Tray
Pitch - Mating Interface	0.60mm
Plating min - Mating	0.762µm
Plating min - Termination	2.540µm
Temperature Range - Operating	-55° to +85°C
Termination Interface: Style	Surface Mount


Electrical

Current - Maximum per Contact	1.1A
Voltage - Maximum	29V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Product Specification	2072620193-PS-000
Sales Drawing	2072620002-000
Symbol/Footprint Data	2072620193-000



EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

207262 Series

This document was generated on 08/03/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION