# XUZA49

Fixing bracket, Photoelectric sensors XU, accessory for sensor, XUJB, metal

Green Premium™ Product

## Main

| | |
|---|---|
| Range of Product | Telemecanique Photoelectric sensors XU |
| Accessory / separate part category | Mounting and fixing accessory |
| Accessory / Separate Part Type | Fixing bracket |
| Product or Component Type | Fixing bracket |
| Accessory / separate part destination | Compact sensor |
| Material | Metal |

## Complementary

| | |
|---|---|
| Product Compatibility | XUJB<br>XUJL |
| Net Weight | 0.26 lb(US) (0.12 kg) |

## Ordering and shipping details

| | |
|---|---|
| Category | 22481-SENSORS, PHOTOELECTRIC |
| Discount Schedule | DS2 |
| GTIN | 3389110524833 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 4.23 oz (120.0 g) |
| Returnability | No |
| Country of origin | FR |

## Packing Units

| | |
|---|---|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 0.98 in (2.5 cm) |
| Package 1 width | 2.56 in (6.5 cm) |
| Package 1 Length | 3.54 in (9 cm) |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 25 |
| Package 2 Weight | 7.02 lb(US) (3.185 kg) |
| Package 2 Height | 5.91 in (15 cm) |
| Package 2 width | 5.91 in (15 cm) |
| Package 2 Length | 15.75 in (40 cm) |
| Package 3 Height | 5.91 in (15 cm) |

## Offer Sustainability

| | |
|---|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACh Regulation | REACh Declaration |
| REACh free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |

## Contractual warranty

| | |
|---|---|
| Warranty | 18 months |

Life Is On | Schneider Electric

## Dimensions

mm
in.



(1)   2 elongated holes Ø 6.5 x 16.5
(2)   1 elongated hole Ø 6.5 x 30.5