| | CONNECTING S INDUSTRIES® international and Part | osition Dec PC, Bannockb -American co | c laration ourn, Illinois. A opyright conver | ll rights reserved un tions. | nder both | This docume level parts, t | ent is a declara he declaration | ation o encor | of the substances mpasses all lowe | within the er level mat | manufactur erials for wl | er listed it hich the m | em. Note: anufacture | if the item is an as er has engineering | ssembly with low responsibility. | |
|-------------|---|---|---|---------------------------------|-------------------------|-------------------------------|--|------------------|---------------------------------------|----------------------------|---------------------------------|---------------------------------|-------------------------|--|----------------------------------|--|
| 752-21.1 | IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x | | | | Form Type Distribute | | | | | | eous Materia | rials and Mfg Information | | | | |
| upplier | · Information | | | | | | | | | | | | | | | |
| ompany | name* | Company unique ID | | | 1 | Unique ID Authority | | | | | Response Date* | | | | | |
| nsemi | | | | | | | | | | | | 2023-06-08 | | | | |
| Contact Na | ame | | Title - Contact | | |] | Phone - Contact* | | | | | Email - Contact* | | | | |
| Product-E | Env-Stewards | | Product Enviro Compliance | | | | NA | | | | | Product-Env-Stewards@onsemi.com | | | | |
| uthorized | d Representative* | | Title - Representative | | |] | Phone - Representative* | | | | Email - Representative* | | | | | |
| roduct-E | Env-Stewards | | Product Enviro Compliance | | | | NA | | | | Product-Env-Stewards@onsemi.com | | | | | |
| | Requester Item Number Mfr Item LC75834 | | n Number Mfr Item Name 4WHS-TLM-E LCD Display Driver | | | | Effective Date Version Manufacturing Si 2023-06-08 PHM | | ring Site | ١ | Veight* | UOM | Unit Type | | | |
| | | | | | | | | | | 200.0 | | mg | Each | | | |
| Ianufao | cturing Proccess Informat | tion | | | | | | | L | | | | | | 1 | |
| | Terminal Plating / Grid Array Material | | Terminal Base Alloy J-STD-020 | | -STD-020 MSI | L Rating | Peak Process Body Tempo | | Body Temperatu | ture Max Time at Peak | | Temperat | ire Num | nber of Reflow Cyc | cles | |
| contains Bi | | CU Alloy 4 | | | 260 C | | С | 30 | | secon | ls 3 | | | | | |
| omments | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| or more i | information regarding material | composition] | please refer to | page 3 | | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | | Declaration Type * | Detailed | | | | | | |
|--|---|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phtalate (DEHP), Benzyl-butyl phtalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). | | | | | | | | | | |
| cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the | henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies | RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform | ce of its products with European Union membe | ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of | | | | | | |
| RoHS Declaration * 1 - Item(s) | does not contain RoHS restricted substa | on above | Supplier Acceptance | * Accepted | | | | | | | |
| Exemption: If the declared item does not con applicable exemptions. | ntain RoHS restricted substances per | the definition above | except for defined RoHS exempti | ons, then select the corresponding response i | n the RoHS Declaration above and choose all | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | | | |
| Declaration Signature | | | | | | | | | | | |
| Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester. | | | | | | | | | | | |
| Supplier Digital Signature Ra | stislav Drska | Le | | | | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|-----------------------------|------------------|--------|---------|-----------------|
| Die | 5.21 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 5.21 | mg |
| Die Attach | 1.07 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.7597 | mg |
| | | | Supplier | Epoxy resins | 129915-35-1 | | 0.3103 | mg |
| lead Frame | 21.08 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 1.0814 | mg |
| | | | Supplier | Chromium (Cr) | 7440-47-3 | | 0.019 | mg |
| | | | Supplier | Manganese (Mn) | 7439-96-5 | | 0.1581 | mg |
| | | | Supplier | Silicon (Si) | 7440-21-3 | | 0.059 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 8.2971 | mg |
| | | | Supplier | Iron (Fe) | 7439-89-6 | | 11.4633 | mg |
| | | | Supplier | Phosphorus (P) | 7723-14-0 | | 0.0021 | mg |
| Iold Compound-Black | 170.5 | mg | | Brominated epoxy resin | proprietary data | | 1.8755 | mg |
| | | | Supplier | Organic Phosphorus compound | Proprietary Data | | 0.341 | mg |
| | | | Supplier | Epoxy Phenol Resin | Proprietary Data | | 15.686 | mg |
| | | | В | Antimony Trioxide (Sb2O3) | 1309-64-4 | | 0.682 | mg |
| | | | Supplier | Carbon Black (C) | 1333-86-4 | | 0.341 | mg |
| | | | Supplier | Fused Silica (SiO2) | 60676-86-0 | | 146.289 | mg |
| | | | Supplier | Ortho-Cresol Novolac Resin | 29690-82-2 | | 5.2855 | mg |
| lating | 1.0 | 1.0 mg | В | Bismuth (Bi) | 7440-69-9 | | 0.006 | mg |
| | | | Supplier | Tin (Sn) | 7440-31-5 | | 0.994 | mg |
| Wire Bond - Au | 1.14 | mg | Supplier | Gold (Au) | 7440-57-5 | | 1.14 | mg |