

Specification Sheet

Part Number: 151-00982



Heavy Duty Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 100/bag

| | |
|---------------------|---|
| Article Number | 151-00982 |
| Type | MSC2 |
| Color | Metal (ML) |
| Features & Benefits | <ul style="list-style-type: none">• Integrated design allows for easy insertion by hand.• 1–3mm panel thickness range allows for multiple applications.• Double-compression design that accommodates various sizes of wire and cable.• Presents a high extraction force for withstanding extreme conditions. |
| Quantity Per | bag |

Product Description

HellermannTyton's Heavy Duty Metal Edge Clip provides an excellent alternative to managing wire and PV cables where plastic fasteners are not the preferred method. Designed for effortless insertion, the Heavy Duty Edge Clip has a high extraction force that tolerates extreme environments and provides assurance that the cables are secure on a panel. This Metal Edge Clip is simple to install and can easily be removed with a flathead screwdriver.

| | |
|---------------------------------------|--|
| Short Description | Heavy Duty Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 100/bag |
| Global Part Name | MSC2-SS304-ML |
| Length L (Imperial) | 0.95 |
| Length L (Metric) | 24.1 |
| Width W (Imperial) | 0.50 |
| Width W (Metric) | 13.0 |
| Panel Thickness Min(Imperial) | 0.04 |
| Panel Thickness Max(Imperial) | 0.12 |
| Panel Thickness Min (Metric) | 1.0 |
| Panel Thickness Max (Metric) | 3.0 |
| Material | Stainless Steel (SS304) |
| Material Shortcut | SS304 |
| Halogen free | No |
| Operating Temperature (Metric) | -112°F to +1000°F (-80°C to +538°C) |
| Reach Complaint(Article 33) | Yes |

ROHS Complaint Yes

UL Recognized (US) Yes

UL Listed (US and Canada) Yes

UL Recognized (US and Canada) Yes

UL Listed (US) Yes

Package Quantity(Imperial) 100

Package Quantity (Metric) 100

Customs Number 7326908695

Content Unit(BMEcat) pcs.

Weight (Metric) 0.00409

Weight (Imperial) 0.00901