



PCB LAYOUT: COMPONENT SIDE
RECOMMENDED PCB THICKNESS : .100/(2.54) MAX.

CIRCUIT SIZE	"A"	"B"	C
04	$\frac{.512}{13.00}$	$\frac{.118}{3.00}$	$\frac{.472}{12.00}$
06	$\frac{.630}{16.00}$	$\frac{.236}{6.00}$	$\frac{.590}{15.00}$
08	$\frac{.748}{19.00}$	$\frac{.354}{9.00}$	$\frac{.709}{18.00}$
10	$\frac{.866}{22.00}$	$\frac{.472}{12.00}$	$\frac{.827}{21.00}$
12	$\frac{.984}{25.00}$	$\frac{.590}{15.00}$	$\frac{.945}{24.00}$
14	$\frac{1.102}{28.00}$	$\frac{.709}{18.00}$	$\frac{1.063}{27.00}$
16	$\frac{1.220}{31.00}$	$\frac{.827}{21.00}$	$\frac{1.181}{30.00}$
18	$\frac{1.338}{34.00}$	$\frac{.945}{24.00}$	$\frac{1.299}{33.00}$
20	$\frac{1.457}{37.00}$	$\frac{1.063}{27.00}$	$\frac{1.417}{36.00}$
22	$\frac{1.575}{40.00}$	$\frac{1.181}{30.00}$	$\frac{1.535}{39.00}$
24	$\frac{1.693}{43.00}$	$\frac{1.299}{33.00}$	$\frac{1.653}{42.00}$

MATERIAL NUMBER	NUMBER OF POSITIONS	PLATING OPTION
44432-0410	04	D
44432-0411	04	B
44432-0412	04	C
44432-0610	06	D
44432-0611	06	B
44432-0612	06	C
44432-0810	08	D
44432-0811	08	B
44432-0812	08	C
44432-1010	10	D
44432-1011	10	B
44432-1012	10	C
44432-1210	12	D
44432-1211	12	B
44432-1212	12	C
44432-1410	14	D
44432-1411	14	B
44432-1412	14	C
44432-1610	16	D
44432-1611	16	B
44432-1612	16	C
44432-1810	18	D
44432-1811	18	B
44432-1812	18	C
44432-2010	20	D
44432-2011	20	B
44432-2012	20	C
44432-2210	22	D
44432-2211	22	B
44432-2212	22	C
44432-2410	24	D
44432-2411	24	B
44432-2412	24	C

NOTES:

- MATERIALS-**
HOUSING: LCP, GLASS FILLED, UL94V-0, COLOR-BLACK (LOW HALOGEN)
TERMINAL: BRASS ALLOY
- FINISH:**
B = .00015/(0.00038) MIN. SELECT GOLD IN CONTACT AREA,
.000100/(0.00254) MIN. SELECT MATTE TIN ON SOLDER TAILS,
BOTH OVER .000050/(0.00127) MIN. NICKEL.
C = .000030/(0.00076) MIN. SELECT GOLD IN CONTACT AREA,
.000100/(0.00254) MIN. SELECT MATTE TIN ON SOLDER TAILS,
BOTH OVER .000050/(0.00127) MIN. NICKEL.
D = .000100/(0.00254) MIN. MATTE TIN OVER
.000050/(0.00127) MIN. NICKEL.
- PRODUCT SPECIFICATION:** PS-44300-001
- PACKAGING SPECIFICATION:** PK-44432-001
- THIS ASSEMBLY MATES WITH MOLEX BMI PANEL MOUNT RECEPTACLE 44133 SERIES, VERTICAL PCB 44769 SERIES, AND RIGHT ANGLE PCB 44764 SERIES.**
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.**

SYMBOLS A = 0 B = 0 C = 0 D = 0 E = 0 F = 0 G = 0 H = 0 I = 0 J = 0 K = 0 L = 0 M = 0 N = 0 O = 0 P = 0 Q = 0 R = 0 S = 0 T = 0 U = 0 V = 0 W = 0 X = 0 Y = 0 Z = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS: IN/MM SCALE: NTS		CURRENT REV DESC: CHANGE 4, 6, 8, & 20 CKT TO MATTE TIN		
	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 635347 DRWN: BZAPPA 2020/03/13 CHK'D: SSOUSEK 2021/08/27 APPR: FSMITH 2021/08/27		MICROFIT(3.0) BMI VERTICAL STRAIGHT TAIL DUAL ROW HEADER		
4 PLACES ± 3 PLACES ± 0.01 2 PLACES ± 0.25 ± 0.015 1 PLACE ± 0.38 ±		INITIAL REVISION: DRWN: MMSTROH 2012/04/20 APPR: FSMITH 2012/08/27		PRODUCT CUSTOMER DRAWING		DOCUMENT NUMBER: SD-44432-005 DOC TYPE: PSD DOC PART: 001 REVISION: B	
0 PLACES ± ANGULAR TOL ± 1.0 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING: C-SIZE SERIES: 44432	
DOCUMENT STATUS: P1 RELEASE DATE: 2021/08/27 15:33:30		MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET		SHEET NUMBER: 1 OF 1			