

## Specification Sheet

Part Number: MCRI-CD8

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Integrated design of the raceway divider ensures proper separation of power and data cabling per UL/CSA standards.



InfoStream Multi-Channel Raceway Center Divider, 8 ft Long, PVC, Ivory, 96ft/pkg

<b>Article Number</b>	250-00039
<b>Type</b>	MCR-CD8
<b>Color</b>	Ivory (IV)
<b>Quantity Per</b>	box
<b>Product Description</b>	Dividers snap onto raceway base rails for proper power and data separation per UL/CSA.
<b>Short Description</b>	InfoStream Multi-Channel Raceway Center Divider, 8 ft Long, PVC, Ivory, 96ft/pkg

**Global Part Name** MCR-CD8-PVC-BGE

**Length L (Imperial)** 8.0

**Length L (Metric)** 2.43

**Material** Polyvinylchloride (PVC)

**Material Shortcut** PVC

**Flammability** UL 94 V-0

**Halogen Free** No

**Operating Temperature** +122°F (+50°C)

**Reach Compliant (Article 33)** No

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 96

**Package Quantity (Metric)** 29.30

**Customs Number** 3925900000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)