

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AJ	00	C1	REVISED PER ECO-11-005030	26MAR11	RK HMR

Dimensions:  
 .432 / 11.0 REF  
 ±.010  
 .277 / 7.0  
 .155 / 3.9  
 .152 / 3.9  
 .020 / .5 TYP  
 .038 / 1.0 DIA  
 .220 / 5.6  
 .093 / 2.4 MAX PANEL  
 .785 / 19.9  
 .440 / 11.2

Labels:  
 LOCKWASHER  
 .250 / 6.4 HEX  
 .190-32 UNF-2A  
 SMB JACK

Dimensions:  
 .250 / 6.4  
 ±.002  
 .040 / 1.0 SQ TYP  
 .200 / 5.1 TYP  
 .025 / .6 TYP  
 .219 / 5.5

.XXX = in  
 XX.X = mm

NOTES:  
 1. CAPTURED CENTER CONTACT

1060469-1

PART NUMBER

COMPONENT	MATERIAL	FINISH
HOUSING, CAP, CENTER CONTACT & MOUNTING NUT	BRASS PER ASTM-B-16, HALF HARD	GOLD PLATE PER MIL-G-45204
DIELECTRIC	TFE FLUOROCARBON PER ASTM-D-1457	N/A
LOCKWASHER	PHOSPHOR BRONZE PER QQ-B-750, GRADE B2 OR TIN BRASS PER ASTM-B-591	GOLD PLATE PER MIL-G-45204

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	A.KULLA	6/14/85	<b>STE</b> TE Connectivity																		
DIMENSIONS: INCHES		CHK	J.JONES	6/24/85																			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	EC	6/25/85																			
<table border="1"> <tr><td>0 PLC</td><td>±</td><td>-</td></tr> <tr><td>1 PLC</td><td>±</td><td>-</td></tr> <tr><td>2 PLC</td><td>±</td><td>-</td></tr> <tr><td>3 PLC</td><td>±</td><td>.005</td></tr> <tr><td>4 PLC</td><td>±</td><td>-</td></tr> <tr><td>ANGLES</td><td>±</td><td>1°</td></tr> </table>		0 PLC	±	-	1 PLC	±	-	2 PLC	±	-	3 PLC	±	.005	4 PLC	±	-	ANGLES	±	1°	NAME	SMB RIGHT ANGLE PRINTED CIRCUIT BOARD JACK RECEPTACLE (5164-5011-09)		RESTRICTED TO
0 PLC	±	-																					
1 PLC	±	-																					
2 PLC	±	-																					
3 PLC	±	.005																					
4 PLC	±	-																					
ANGLES	±	1°																					
MATERIAL	FINISH	WEIGHT	A2	00779	C=1060469-1																		
CUSTOMER DRAWING		SCALE	4:1	SHEET	1 OF 1																		

1471-9 (3/11)