


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


| Â | |
|---|--|
| | |

ISSUE NUMBER


ORIGINAL

(1)






NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



ale




ale



| | | 11W1 | Male/Female | 27W2 Male/Fe | emal |
|--|-----------|--------------------------|---|----------------------|--|
| 8W | /8 Female | | 33.30 | . | |
| 23.03 | | a sure | | | 22.70 16.52 + + + + + + + 2.77 |
| CURRENT RATING / ϕ | | 17W2 | Male/Female | 21W1 Male/Fe | emal |
| 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | | HT 24 | | | 16.52 - 15.2 + + + + + 2 |
| | | | | SW REFERENCE NO.: | 628 C |
| | CC | COMBINATION D-SUB | | DRAWN: C.B | |
| | | | | CHECKED: | |
| LY CONFORMS TO | | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND | SCALE: N.T.S | |
| UNION DIRECTIVES RoHS COMPLIANCY. | | RONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 628- | -9W4 |
| | | | MANUFACTURE OR SALE OF APPARATUS | | |

5W5 Male


5W5 Female




47.05

23

8W8 Male





THIS SERIES FULL THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



| C | OMBINATION | D-SUB | DRAWN: | C.B |
|----------------------------|---|--|----------|-------|
| | | | CHECKED | : |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: | N.T.S |
| TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBE | | |
| YOUR CONNECTION TO QU | ALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUM | IBER: |

| -+ + 2 | <u>п</u> | | |
|--------------------------------------|--------------------|--|--|
| SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
| DRAWN: C.B | DATE: JAN. 01/2019 | | |
| CHECKED: | DATE: | | |
| SCALE: N.T.S | SHEET 3 OF 4 | | |
| DRAWING NUMBER: 628-9W4- | 222-3N2 ISSUE | | |
| PART NUMBER: 628-9W4- | 222-3N2 1 | | |

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9,70 1 82 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











| | | SW REFERENCE NO.: 628 C | OMBO ASSEMBLY | | |
|---|--|--|-------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 |)19 | |
| | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | | | DRAWING NUMBER: 628-9W4 | -222-3N2 | ISSUE |
| | | | PART NUMBER: 628-9W4 | -222-3N2 | 1 |

