


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

ORIGINAL

(1)





NOTES:

.X ±0.25

.XX ±0.13 .XXX ±0.05

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	COMBINATION D-SUB		DATE: JAN. 01/2019		
			DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W7W2-124-1NA		ISSUE	
		PART NUMBER: 628W7W2	2-124-1NA	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male


5W5 Female

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

16.52

	11W1	1 Male/Female
8W8 Fem	ale	33.30
47.05 23.03 14.48 14.48 20 23.03 14.48 14.48 20 23.03 0 0 0 0 0 0 0 0 0 0 0 0 0	$\begin{array}{c} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} \mathbf{x} x$	
	17W2	2 Male/Female
CURRENT RATING / ØA 10A / 2.2		47.06
20A / 3.3	_	23.63
30A / 3.7 40A / 4.2		
	COMBINATION	I D-SUB
IIS SERIES FULLY CONFORMS TO HE EUROPEAN UNION DIRECTIVES 111/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATI ARE THE PROPERTY OF EDAC INC., A SHALL NOT BE REPRODUCED, OR CO OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARA WITHOUT WRITTEN PERMISSION.

and and



THI THE 201


	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	DRAWN: C.B	DATE: JAN. 01/2019		
	CHECKED:	DATE:		
AND SPECIFICATIONS	SCALE: N.T.S	SHEET 3 OF 4		
PRODUCED,OR COPIED BASIS FOR THE R SALE OF APPARATUS N PERMISSION.	DRAWING NUMBER: 628W7W2	2-124-1NA ISSUE		
	PART NUMBER: 628W7W2	2-124-1NA 1		

47.05


23.53

⊕

8W8 Male



3.30



4 4 1 4 (4 1 4 - 1 - 15

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male











36W4 Female



13W3 Male











13W6 Male



43W2 Male





17W5 Female


 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628W7W2-124-1NA		ISSUE
			PART NUMBER: 628W7W	2-124-1NA	1