



**EFFECTIVE IMMEDIATELY**

January 22, 2021

Dear Fluke Distributor:

The following distribution Product is being phased out effective 2/1/21. This letter is your notification of our product change.

**PLEASE INFORM ALL RELEVANT PERSONNEL WITHIN YOUR ORGANIZATION.**

<b>Product Family</b>	<b>Obsolete Item Number</b>	<b>Obsolete Model</b>	<b>Suggested Replacement Item</b>	<b>Suggested Replacement Model</b>
ACC	4911574	CAMO-C25/BD	4110632	CAMEO-C25
ACC	4911588	CAMO-C25/FO	4110632	CAMEO-C25
ACC	4911595	CAMO-C25/WD	4110632	CAMEO-C25
ACC	4911602	CAMO-C25/WL	4110632	CAMEO-C25
ACC	4110644	CAMO-C37	4110632	CAMEO-C25
ACC	708396	C20 Hard Case	N/A	N/A
ACC	827055	C100 Case	2437514	C101 Case
ACC	896220	C800 Case	4628917	CXT 1000
ACC	897744	C10 Holster	N/A	N/A
ACC	2152040	H6 IR Pistol Holster	4967812	C60 Case
ACC	4911616	HC80 Holster	681114	C25 Case

Should you have any questions regarding this notice, please contact your Fluke Sales Manager.

Regards

Luis A. Katz  
Sr. NA Sales Operations Manager  
Fluke Corporation