




## MT15:16-ALK-M6-20

Ruland Adjustable Lever Clamping Kit, Lever Length 45mm, Stud Thread M6, Zinc Lever With Plastic Coating, Stainless Steel Inserts




### Description

Ruland MT15:16-ALK-M6-20 is an adjustable lever clamping kit with an M6 thread, 20mm sleeve and stud length, 45mm lever length, and 35mm overall height. It is designed to fit with Ruland modular mounting system components that begin with MT15:16-ALK-M6-20. The lever is zinc die-cast with a plastic coating and the inserts are stainless steel for durability and corrosion resistance. MT15:16-ALK-M6-20 replaces standard hardware in clamping components allowing for rapid fine repositioning of connectors and tubes for increased operator efficiency. It is commonly used as an accessory in mounting systems for screens, sensors, reflectors, plexiglass machine guards, and other components. MT15:16-ALK-M6-20 is manufactured by Otto Ganter, inventoried by Ruland, and RoHS3 compliant.

### Product Specifications

Lever Length L1	45 mm	Overall Height H1	35 mm
Hub Height H2	24.5 mm	Sleeve & Stud Length L3	20 mm
Sleeve Length L2	6.5 mm	Sleeve Diameter D1	10.5 mm
Thread (TH)	M6	Thread Length	13.5 mm
Thread Pitch	1 mm	Handle Material	Zinc
Insert and Screw Material	303 Stainless Steel	Weight (lbs)	0.105300
Manufacturer	JW Winco/ Otto Ganter	UPC	634529238097
Country of Origin	Germany	Tariff Code	8487.90.0080
UNSPC	31162908		

**Note 1** Performance ratings are for guidance only. The user must determine suitability for a particular application.

**Prop 65**  **WARNING** This product can expose you to chemicals including Soots, Benzene, Lead, and Nickel (metallic), known to the State of California to cause cancer, and Lead and Benzene known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).