

6

5

4

3

2

1

E

E

D

D

C



C

B

B

A

A



SPECIFICATIONS:

MINI-CHANGE MALE:

COUPLING NUT MATERIAL: ZINC DIE-CAST WITH BLACK ELECTROPHORETIC COATING
 CONTACT MATERIAL: GOLD/NICKEL OVER COPPER ALLOY
 INSERT MATERIAL: YELLOW PVC
 OVERMOLD: YELLOW PVC

M12 FEMALE (REVERSE KEY):

COUPLING NUT MATERIAL: ZINC DIECAST WITH BLACK ELECTROPHORETIC COATING
 CONTACT MATERIAL: GOLD/NICKEL OVER COPPER ALLOY
 INSERT MATERIAL: BLACK NYLON
 OVERMOLD: YELLOW PVC
 O-RING: VITON RUBBER

CABLE: #22/4 YELLOW TPE
 CORDSET RATING: 250V, 4A

A200904822 RELEASE EC NO: WNA2009-0839 DRWN: VOU 6/16/09 CHKD: LHARTMAN APPR: JFMURPHY 2009/07/08	QUALITY SYMBOLS ▽=0 ▽/C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
			mm	INCH	----	1:1	INCH		
		4 PLACES	±----	±----	DRAWN BY	DATE	TITLE		
		3 PLACES	±----	±.005	VOU	2009/05/19	M12 5P REV-KEY FEM TO MC 4P MALE STRAIGHT #22/4 YELLOW TPE		
		2 PLACES	±----	±.010	CHCKED BY	DATE			
1 PLACE	±----	±.020	LHARTMAN	2009/06/17	MOLEX INCORPORATED				
ANGULAR ±.5°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY	DATE	DOCUMENT NO.	SHEET NO.		
				JFMURPHY	2009/06/17	SD-130009-001	1 OF 1		
				MATERIAL NO.	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
				SIZE					
				A					

6

5

4

3

2

1