

Patch cable - NBC-R4AC1/10,0-94G/R4AC1-RD - 1421145


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Patch cable, degree of protection: IP20, cable length: 10 m, number of positions: 8, 10 Gbps, CAT6_A



Key Commercial Data

| | |
|--------------|---|
| Packing unit | 1 pc |
| GTIN |  4 0 5 5 6 2 6 2 5 4 7 6 0 |
| GTIN | 4055626254760 |

Technical data

Dimensions

| | |
|-----------------|---------|
| Length of cable | 10.00 m |
|-----------------|---------|

Ambient conditions

| | |
|---------------------------------|-----------------------------------|
| Ambient temperature (operation) | -25 °C ... 60 °C (RJ45 connector) |
| | -25 °C ... 75 °C (cable) |

General data

| | |
|-----------------------|-----------|
| Rated current at 40°C | 0.5 A |
| Rated voltage | 48 V |
| Number of positions | 8 |
| Rated voltage (III/3) | 72 V (DC) |

Standards and Regulations

| | |
|------------------|-------------|
| Flame resistance | IEC 60332-1 |
|------------------|-------------|


Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings


Patch cable - NBC-R4AC1/10,0-94G/R4AC1-RD - 1421145

Schematic diagram



Connector pin assignment plug RJ45

Dimensional drawing



Patch cable - NBC-R4AC1/10,0-94G/R4AC1-RD - 1421145

Approvals


Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|---|---------|
| EAC |  | B.00767 |
|-----|---|---------|

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>