




AT ATSeries™ Boots

Protective Backshell Boots




Available in 2-12 position



Amphenol Sine Systems' **AT Series™ Boots** provide an optional protective backshell covering for harsh environmental and industrial applications in -28°C to +100°C conditions. For use with AT Series™ connectors that do not include an endcap or shrinkboot strain relief.

The boots come in 3 different colors (Yellow, Black and Grey) and are made of high-quality Plastisol.















Applications: Heavy Equipment, Agriculture, Construction, Transportation, Off-Road, Mining, Industrial, Railway, Automotive, Diagnostics, Marine, Water Resistance, Harsh Environments

























A **ASeries™ Family**



Standard products. Custom solutions
Customer Service +1 800 394 7732

| Image | Part Number | Description | Material | Temperature Range |
|---|-------------|---|-----------|-------------------|
|  | AT2P-BT | 2 Position, Receptacle Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT2P-BT-BK | 2 Position, Receptacle Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT2P-BT-YW | 2 Position, Receptacle Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT3P-BT | 3 Position, Receptacle Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT3P-BT-BK | 3 Position, Receptacle Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT3P-BT-YW | 3 Position, Receptacle Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT4P-BT | 4 Position, Receptacle Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT4P-BT-BK | 4 Position, Receptacle Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT4P-BT-YW | 4 Position, Receptacle Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT6P-BT | 6 Position, Receptacle Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT6P-BT-BK | 6 Position, Receptacle Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT6P-BT-YW | 6 Position, Receptacle Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT8P-BT | 8 Position, Receptacle Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT8P-BT-BK | 8 Position, Receptacle Boot, AT Series™, Black | Plastisol | -28°C to +100°C |

| Image | Part Number | Description | Material | Temperature Range |
|---|-------------|--|-----------|-------------------|
|  | AT8P-BT-YW | 8 Position, Receptacle Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT12P-BT | 12 Position, Receptacle Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT12P-BT-BK | 12 Position, Receptacle Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT12P-BT-YW | 12 Position, Receptacle Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT2S-BT | 2 Position, Plug Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT2S-BT-BK | 2 Position, Plug Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT2S-BT-YW | 2 Position, Plug Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT3S-BT | 3 Position, Plug Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT3S-BT-BK | 3 Position, Plug Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT3S-BT-YW | 3 Position, Plug Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT4S-BT | 4 Position, Plug Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT4S-BT-BK | 4 Position, Plug Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT4S-BT-YW | 4 Position, Plug Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT6S-BT | 6 Position, Plug Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |

| Image | Part Number | Description | Material | Temperature Range |
|---|-------------|--|-----------|-------------------|
|  | AT6S-BT-BK | 6 Position, Plug Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT6S-BT-YW | 6 Position, Plug Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT8S-BT | 8 Position, Plug Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT8S-BT-BK | 8 Position, Plug Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT8S-BT-YW | 8 Position, Plug Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |
|  | AT12S-BT | 12 Position, Plug Boot, AT Series™, Grey | Plastisol | -28°C to +100°C |
|  | AT12S-BT-BK | 12 Position, Plug Boot, AT Series™, Black | Plastisol | -28°C to +100°C |
|  | AT12S-BT-YW | 12 Position, Plug Boot, AT Series™, Yellow | Plastisol | -28°C to +100°C |

For more information, contact: Customer Service, +1 800 394 7732, csr@amphenol-sine.com