

# Reducing adapter - A-INR-PG21/16-N-NS-S - 1415217

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Reducing adapter, material: Brass, nickel-plated, connecting thread: Pg21, color: silver, with O-ring

## Product Description

Reducing adapter reduces Pg21 to Pg16



## Key Commercial Data

Packing unit	10 pc
GTIN	 4 055626 038605
GTIN	4055626038605

## Technical data

### Dimensions

Length	10 mm
Length without connecting thread	3 mm
Connecting thread diameter	29 mm
Hexagon angular dimension	33.5 mm
Length of the connecting thread	7 mm

### Ambient conditions

Degree of protection (IP)	IP68 (Depends on the screw connection used)
---------------------------	---

### General

Material	Brass, nickel-plated
O-ring material	NBR
Outer thread	Pg21
Internal thread	Pg16
Color	silver

## Standards and Regulations

# Reducing adapter - A-INR-PG21/16-N-NS-S - 1415217

## Technical data

### Standards and Regulations


Halogen-free	no
--------------	----

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Dimensional drawing



Dimensional drawing

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>