

## Specification Sheet

Part Number: 596-00735

Made with UV stable inks and materials for durability and weather resistance.

The labels are supplied with aggressive adhesive to ensure long life.

Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.



Solar Label, WARNING SERVICE METER SERVED BY PV SYSTEM, 4.0" x 2.0", VL, Orange, 50/roll

<b>Article Number</b>	596-00735
<b>Type</b>	SMPV
<b>Color</b>	Orange (OG)
<b>Quantity Per</b>	roll
<b>Product Description</b>	Many times common solar label designs are specified even though they might not be required by code. HellermannTyton offers a selection of some of the most commonly requested labels for use on solar installations.
<b>Short Description</b>	Solar Label, WARNING SERVICE METER SERVED BY PV SYSTEM, 4.0" x 2.0", VL, Orange, 50/roll
<b>Global Part Name</b>	SMPV-V-OG

<b>Technical Description</b>	Pre-Printed Solar Label, 4" X 2", Warning; Service Meter Served by PV System, Vinyl, Orange, 50/RL
<b>Width W (Imperial)</b>	4.0
<b>Width W (Metric)</b>	101.6
<b>Height H (Imperial)</b>	2.0
<b>Height H (Metric)</b>	50.80
<b>Material</b>	Vinyl (V)
<b>Material Shortcut</b>	V
<b>Adhesive</b>	Acrylic
<b>Halogen Free</b>	No
<b>Adhesive Operating Temperature</b>	-40°F to +174°F (-40°C to +79°C)
<b>Operating Temperature</b>	-40°F to +174°F (-40°C to +79°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Certification/Specification</b>	NEC2017 NEC2011 NEC2020 NEC2014

**Warranty (US)** Yes

**UL Recognized (US)** Yes

**Package Quantity (Imperial)** 50

**Package Quantity (Metric)** 50

**Customs Number** 3919905060

**Labels per Column** 1

**Labels per Row** 1