Authorized Representative* Title - Representative Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Title - Representative Phone - Representative* NA Product-Env-Stewards Product-Env-Stewards Effective Date Version Manufacturing Site Weight*				
Company name* Company unique ID Unique ID Authority Response Date* 2023-06-08 Contact Name Title - Contact Product-Env-Stewards Authorized Representative* Product-Env-Stewards Title - Representative Title - Representative Product-Env-Stewards Authorized Representative* Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Unique ID Authority Response Date* 2023-06-08 Email - Contact* Phone - Contact* Phone - Representative* Email - Representative* Product-Env-Stewards Requester Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight*				
2023-06-08				
Title - Contact Product-Env-Stewards Product Enviro Compliance Title - Representative Product-Env-Stewards				
Product-Env-Stewards Authorized Representative* Product-Env-Stewards				
Authorized Representative* Product-Env-Stewards Requester Item Number Title - Representative Product Enviro Compliance NA Product-Env-Stewards Requester Item Number Mfr Item Name Email - Representative* Product-Env-Stewards Product-Env-Stewards Weight*				
Product-Env-Stewards Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight*	Product-Env-Stewards@onsemi.com			
Requester Item Number Mfr Item Number Mfr Item Name Effective Date Version Manufacturing Site Weight*	Email - Representative*			
	Product-Env-Stewards@onsemi.com			
NLV7SZ97DFT2G FLEXIBLE CHOICE 2023-06-08 CN1 6.2	UOM Unit Type			
	mg Each			
Terminal Plating / Grid Array Material Terminal Base Alloy J-STD-020 MSL Rating Peak Process Body Temperature Max Time at Peak Temperature Number of	of Reflow Cycles			
	n Reliow Cycles			
omments vel 1 - maximum time at peak temperature during soldering is 10-30 seconds				
vei 1 - maximum time at peak temperature during soldering is 10-30 seconds or more information regarding material composition please refer to page 3				

RoHS Material Composition Declaration			Declaration Type *	Detail	led				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybrominated Biphenyls (Pl	aterial for Cadmium and quantity limit of 0.1% by BB), Polybrominated Diphenyl Ethers (PBDE), an						
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.									
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose al applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the				
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the				

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.19	mg	Supplier	Silicon (Si)	7440-21-3		0.19	mg
Lead Frame	2.04	mg	В	Nickel (Ni)	7440-02-0		0.7813	mg
			Supplier	Iron (Fe)	7439-89-6		1.0792	mg
		Supplier	Copper (Cu)	7440-50-8		0.1795	mg	
Mold Compound-Black 3.9	3.9	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.39	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0195	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.5655	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		2.535	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.39	mg
Plating	0.05	mg	Supplier	Tin (Sn)	7440-31-5		0.05	mg
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg