



PRODUCT CODE DESCRIPTION

FA_LCSC
 └── LENGTH(M)

NOTES:
 TEST ALL(100%) CONNECTORS FOR INSERTION LOSS(I.L.) AND RETURN LOSS(R.L.)
 I.L. TO BE 0.75dB OR BETTER MEASURE WITH A 850nm SOURCE
 I.L. TO BE 0.65dB OR BETTER MEASURE WITH A 1310nm SOURCE
 R.L. TO BE -25dB OR BETTER MEASURED WITH A 850nm AND 1310nm SOURCE

INVENTORS

HellermannTyton®

ALL PROPRIETARY RIGHTS IN THE SUBJECT MATTER SHOWN ON THIS DRAWING ARE EXCLUSIVE PROPERTY OF HELLERMANN TYTON

name	date	city, state

REVISION

D level	01
AW by	AAC
IN date	11/4/13
G ECN #	012496
part level	-

DIMENSIONS

FOOT	.xxxx = ±.0005
INCHES	.xxx = ±.005
	.xx = ±.01
	.x = ±.03
	∠ = ±0.5°
	unless otherwise specified
units	inches

PART

number	FA_LCSC	phase	Production
name	MULTIMODE DUPLEX LC TO SC FIBER OPTIC CABLE ASSEMBLY		
material	ASSEMBLED		

DRAWING

format	AH	CAD	SW2011	scale	1:2
computer file name	MI3026087CST_01		previous drawing number		
drawn	AAC	checked	KAC	approved	
	11/4/13		11/4/13		
type	Customer	sheet 1 of 1			
number	MI3026087CST				