

**Data sheet | Item number: 733-191**

Operating tool; made of insulating material; 1-way; loose; yellow

[www.wago.com/733-191](http://www.wago.com/733-191)



**Data**

**Technical data**

Main product function	Operating tool
Number of spacings	1 -way

**Physical data**

Depth	18.75 mm / 0.74 inches
Pin spacing	2.5 mm

**Mechanical Data**

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

**Material Data**

Color	yellow
-------	--------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Material group	I
Insulation material	Glass fiber-reinforced polyamide (PA66 GF)
Flammability class per UL94	HB
Fire load	0.006 MJ
Weight	0.2 g

### Commercial data


Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454830069
Customs tariff number	82055980000

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Approvals / Certificates

#### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

### Downloads

#### CAD/CAE-Data

##### CAD data

2D/3D Models 733-191	URL	Download
----------------------	-----	----------

##### CAE data

Subject to changes. Please also observe the further product documentation!

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 733-191


[URL](#)

[Download](#)

Operating tool; made of insulating material; 1-way; loose; yellow

---

## Installation Notes



Conductor termination via operating tool (733-191)

Subject to changes. Please also observe the further product documentation!

---