Mounting Option 12128 (3:25) Dia. Side Mounting Holes 500-Wire Hole .087x.013 .156 [3.96] Contact Space		Contact Detail 500-Wire Hole .087x.013(2.21x0.33) - Tail LG.=.282(7.16) .156 [3.96] Contact Spacing x .140 [3.56] Row Spacing		THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER		ISSUE NUM ORIGINA	_
	Card Slot Accepts .054 (1.37) to .070 (1.78) Thick P.C. Board						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0.156[3.96]						
		6.716[170.59]					
	-	6.862[174.29] ————————————————————————————————————		-			
					[48]	Slot	
					0.295[7	Card Slot	
	A						<
1					<u> </u>		
+							SECTION
8						 0.090[2.2	
0.460[11.68]	7.148[181.56]					Point of C	Contact
.460	7.458[189.43]				1		
	305 / 315 / 355 Card Edge Connector					ACAD REFERENCE NO. 305 ENG MASTER	
	Part Number: 305-084-500-212				DRAWN: J.LEE DATE: SEPT. 21/09 CHECKED: DATE:		21. 21/09
	EDAC INC THESE DRAWINGS AND SPECI			THESE DRAWINGS AND SPECIFICATIONS	SCALE: NTS	SHEET	1 OF 2
See Accompanying Page for: Mounting Options		TORONTO, O	NTARIO	ARE THE PROPERTY OF EDACING AND	DRAWING NUMBER		ISSUE
	- Woulding Options		OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARA WITHOUT WRITTEN PERMISSION.		305 Assembly	,	1

