



13	12	11	10	9	8	7	6	5	4	3	2	1
MATERIAL NUMBER	OLD PART NUMBER	FINISHED LENGTH										
130010-1303	115033A01M020	6.56' +3.50" -0 [2.0M +88.9mm -0]										

1	WHITE	1
2	RED	2
3	GREEN/YELLOW	3
4	ORANGE	4
5	BLACK	5




115033A01M020

Wire type
16/5 AWG
Yellow PVC

cable length
M020----2 Meter
M100----10 Meter


CONTACT:	GOLD/NICKEL OVER COPPER ALLOY
INSERT:	PVC, YELLOW
COUPLING NUT:	ZINC DIE CAST, BLACK E-COATED
MOLDED BODY:	PVC, YELLOW
VOLTAGE RATING:	600 VAC/VDC
AMPERAGE RATING:	10 AMPS
PROTECTION:	IP67
OPERATING TEMPERATURE:	-20°C TO 105°C
UL CERTIFICATIONS:	UL RECOGNIZED, FILE NO. E152210; CSA CERTIFIED, FILE NO. LR6837

FEMALE INSERT FRONT VIEW



1-WHITE
2-RED
3-GREEN/YELLOW
4-ORANGE
5-BLACK

MALE INSERT FRONT VIEW



1-WHITE
2-RED
3-GREEN/YELLOW
4-ORANGE
5-BLACK

INITIAL RELEASE EC NO: IPG2013-1910 DRWN: EBRACKEN 2013/06/20 CH'KD: RSTONE APPR: BWOODMAN2013/08/14 REV DESCRIPTION	QUALITY SYMBOL	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽=0 ∇=0	mm INCH	IN/MM	---	INCH		
		4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.010 1 PLACE ±0.25 ±.020	DRAWN BY DATE EBRACKEN 2013/06/18 CHECKED BY DATE RSTONE APPROVED BY DATE BWOODMAN 2013/08/14	TITLE	MINI-CHANGE CORDSET 5P MALE/FEMALE 90/90 #16/5 TPE CABLE		
		ANGULAR ±.5° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE CHART SIZE C	DOCUMENT NO. SD-130010-029	MOLEX INCORPORATED SHEET NO. 1 OF 1		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							