**Mounting Option** .128 (3.25) Dia. Mounting Holes **Contact Detail** 


PC Tail .046x.013(1.17x0.33) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER

ORIGINAL

| <b>A</b>    |   |   |
|-------------|---|---|
| 0.343[8.71] | + | 0.156[3.96]<br>1.412[35.86]<br>1.558[39.57] |
|             | - | 1.844[46.84]                                |



## **See Accompanying Pages for:**

- **Contact Bend Details**
- **Mounting Options**

## .175 [4.45] Point of Contact (FROM BTM OF SLOT)

SECTION A-A

Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

307 / 357 Card Edge Connector Part Number: 307-008-425-102



**EDAC INC** TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO. 307 ENG MASTER DRAWN: J.LEE DATE: AUG. 11/09 CHECKED: DATE: OF 3 SCALE: NTS SHEET 1 DRAWING NUMBER **ISSUE** 307 Assembly



