


Data sheet | Item number: 706-7753/602-100

System cable; for WAGO-I/O-SYSTEM, 753 Series; 4 analog inputs or outputs; Length: 1 m; Conductor cross-section: 0.25 mm²



www.wago.com/706-7753/602-100



Color coding acc. to DIN VDE 47100		15 poles Sub-D connector		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	0+	1	EA1/SA1
Brown		2	0-	10	0V
Green		3	1+	3	EA2/SA2
Yellow		4	1-	10	0V
Grey		5	2+	5	EA3/SA3
Pink		6	2-	9	0V
Blue		7	3+	7	EA4/SA4
Red		8	3-	9	0V
Black		9	+	nc	
Violet		10	-	nc	
Grey-Pink		11	nc	nc	
Red-Blue		12	nc	nc	
White-Green		13	nc	nc	
Brown-Green		14	1	nc	
White-Yellow		15	2	nc	
Shield		Connected to Sub-D			

Data Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Electrical data

Inputs/outputs	4 analog inputs or outputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



WAGO

WAGO I/O System 753	753-453 (x1)
	753-455 (x1)
	753-457 (x1)
	753-459 (x1)
	753-553 (x1)
	753-555 (x1)
	753-557 (x1)
	753-559 (x1)

Connection data

Cable type	LIYCY
Color code	per DIN VDE 47100

Connection 1

Connector	D-subminiature female connector
Pole number 1	15
Connection type 1	System
Wire cross-section	0.25 mm ²

Connection 2

Connector 2	WAGO 753-110
Pole number 2	8
Connection type 2	System

Physical data

Cable length	1 m
--------------	-----

Material Data

Weight	107 g
--------	-------

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

ETIM 8.0	EC000237
----------	----------

Subject to changes. Please also observe the further product documentation!



ETIM 7.0	EC000237
PU (SPU)	1 pcs
Packaging type	box
Country of origin	FR
GTIN	4050821175407
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide	pdf	Download
This guide will help you select the appropriate interface modules and system cables for the controller you are using.	545.9 kB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-7753/602-100	URL	Download
System cable; for WAGO-I/O-SYSTEM, 753 Series; 4 analog inputs or outputs; Length: 1 m; Conductor cross-section: 0.25 mm ²		

Installation Notes

Subject to changes. Please also observe the further product documentation!