

ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	701070002	SL WtW Conn SR WO/MtgE Opt A 3Ckt	2	PC
C	16020107	SL Male Crp Term 22-24awg Tin Reel	6	PC
D	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B3	1X22AWG DISC MPPE BK UL11028	BLACK
A2	B2	1X22AWG DISC MPPE BK UL11028	BLACK
A3	B1	1X22AWG DISC MPPE BK UL11028	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2162721030	50±3	13 REF	SL POSITIVE LOCK P-P 3CKT 50MM Sn
2162721031	100±5	38 REF	SL POSITIVE LOCK P-P 3CKT 100MM Sn
2162721032	150±8	63 REF	SL POSITIVE LOCK P-P 3CKT 150MM Sn
2162721033	300±10	138 REF	SL POSITIVE LOCK P-P 3CKT 300MM Sn
2162721034	600±10	288 REF	SL POSITIVE LOCK P-P 3CKT 600MM Sn

- NOTES**
- Cable assembly must pass 100% continuity and polarity test.
 - Connector view shown is from mating side.
 - Label text must be 2mm max. in height with Arial font.
 - Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2020/05/05	A	INITIAL RELEASE	ARAJU

FUNCTIONAL SYMBOLS $\frac{E}{A} = 0$ $\frac{E}{E} = 0$ $\frac{E}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	NTS	ANGULAR TOL ± °		
	4 PLACES ±		3 PLACES ±		
3 PLACES ±		2 PLACES ±		EC NO: 642836	PRODUCT CUSTOMER DRAWING
2 PLACES ±		1 PLACE ±		DRWN: ARAJU 2020/05/05	
1 PLACE ±		0 PLACES ±		CHK'D: RDESAI01 2020/08/05	DOCUMENT NUMBER 2162721030
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		APPR: RDESAI01 2020/08/05	
		DRAWING		SERIES	DOC TYPE
		A4-SIZE		216272	PSD
				MATERIAL NUMBER	DOC PART
				SEE TABLE	000
				CUSTOMER	REVISION
				GENERAL MARKET	A
				SHEET NUMBER	
				1 OF 1	

RELEASE STATUS	P1	RELEASE DATE	2020/08/05	05:06:36
----------------	----	--------------	------------	----------