


13	12	11	10	9	8	7	6	5	4	3	2	1
ITEM NUMBER		PRODUCT DESCRIPTION				FRONT SHELL PLATING						
75135-1000		DMS-59 I/O PLUG CONNECTOR				BRIGHT TIN						
75135-1009		DMS-59 I/O PLUG CONNECTOR				BRIGHT NICKEL						

**NOTES:**

- 1) PLASTIC HOUSING:  
GLASS FILLED LCP (LIQUID CRYSTAL POLYMER), UL94 V-0, COLOR: NATURAL.
- 2) FRONT SHELL:  
DEEP DRAWN STEEL;  
PLATING: SEE TABLE  
BRIGHT TIN: 150-250 MICROINCHES BRIGHT TIN OVER 50-150 MICROINCHES NICKEL OVER COPPER FLASH OVERALL (OPTIONAL).  
BRIGHT NICKEL: 100-175 MICROINCHES BRIGHT NICKEL OVER 50 MICROINCHES MAXIMUM COPPER OVERALL.
- 3) BACK SHELL:  
DEEP DRAWN STEEL;  
PLATING: 150-250 MICROINCHES BRIGHT TIN OVER 50-150 MICROINCHES NICKEL OVER COPPER FLASH OVERALL (OPTIONAL).
- 4) THIS CONNECTOR CONFORMS TO PRODUCT SPECIFICATION PS-75134-001.
- 5) PACKAGING SPECIFICATION PK-70873-0236 APPLIES.
- 6) SEE APPLICATION SPECIFICATION PS-70929 FOR ASSEMBLY AND TERMINATION DETAILS.
- 7) INSERT-MOLDED TERMINAL STRIP ASSEMBLIES ARE SUPPLIED SEPARATELY (SEE SHEET 2 FOR ORDERING INFORMATION).
- 8) PARTS CONFORM TO CLASS B OF COSMETIC SPECIFICATION PS-45499-002.



2	A
1	D
SHT	REV

<b>ADD COSMETIC SPEC</b> EC NO: UCP2007-2622 DRWN:DMORGAN 2007/09/13 CHKD:MSIBARRA 2007/09/13 APPR:SMILLER 2007/09/13	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>IN/MM</b>	SCALE <b>4:1</b>	DESIGN UNITS <b>INCH</b>	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .015 1 PLACE ± 0.38 ± ---	mm INCH DRAWN BY DATE DMORGAN 2002/10/17 CHECKED BY DATE BBARKER 2002/10/17 APPROVED BY DATE SMILLER 2002/10/17	TITLE <b>SALES DMS-59 I/O PLUG LFH .050/1.27 PITCH 59 CKT CABLE ASSY</b>			
		ANGULAR ± 1/2°		MATERIAL NO. DOCUMENT NO. <b>SEE TABLE SD-75135-001</b>		SHEET NO. <b>1 OF 2</b>	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		MOLEX MOLEX INCORPORATED	