

Specification Sheet

Part Number: 161-64014

Clips can be linked together and each turning freely, allowing differing cable sizes to be bundled together, organized and protected flexibly and efficiently.

Clips can be easily released and re-used allowing for the Helawrap cables to be mounted securely in an unlimited number of positions.

Fit snugly around the Helawrap cable cover and holding it firmly and to any surface.



Helawrap, Mounting Base without Adhesive, HWBASE, PA66HIRHS, Black, 50/pkg

Article Number 161-64014

Type HWBASE

Color Black (BK)

Quantity Per bag

Product Description The Helawrap cable management system is the flexible routing and protection solution for industrial, datacom and electrical applications. Clips can be joined to a base and another clip of any size. Different cable sizes can be bundled together, organized and protected flexibly and efficiently.

Short Description Helawrap, Mounting Base without Adhesive, HWBASE, PA66HIRHS, Black, 50/pkg

| | |
|------------------------------|--|
| Global Part Name | HWBASE-PA66HIRHS-BK |
| Length L (Imperial) | 1.5 |
| Length L (Metric) | 38 |
| Fixation Method | screw-hole |
| Width W (Imperial) | 1.5 |
| Width W (Metric) | 38 |
| Material | Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) |
| Material Shortcut | PA66HIRHS |
| Flammability | UL 94 HB |
| Halogen Free | Yes |
| UV Resistant (Yes/No) | No |
| Operating Temperature | -40°F to +221°F (-40°C to +105°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |

| | |
|-----------------------------|------------|
| Package Quantity (Imperial) | 50 |
| Package Quantity (Metric) | 50 |
| Customs Number | 3926909988 |
| Weight (Metric) | 0.14 |
| Weight (Imperial) | 0.31 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)