


Data sheet | Item number: 706-3340/400-100

System cable; for Schneider Modicon M340; 4 analog inputs (current);

Length: 1 m; Conductor cross-section: 0.25 mm²

www.wago.com/706-3340/400-100



Color coding acc. to DIN VDE 47100		15 poles Sub-D connector		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	0+	1-3	LI0
Brown		2	0-	2	Com0
Green		3	1+	7-9	LI1
Yellow		4	1-	8	Com1
Grey		5	2+	11-13	LI2
Pink		6	2-	12	Com2
Blue		7	3+	17-19	LI3
Red		8	3-	18	Com3
Black		9	nc	nc	nc
Violet		10	nc	nc	nc
Grey-Pink		11	nc	nc	nc
Red-Blue		12	nc	nc	nc
White-Green		13	nc	nc	nc
Brown-Green		14	nc	nc	nc
White-Yellow		15	nc	nc	nc
Shield		Connected to Sub-D			

Data Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Electrical data

Inputs/outputs	4 analog inputs; current
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Schneider

Schneider Modicon M340

BMX AMI 0410

Connection data

Cable type

LIYCY

Color code

per DIN VDE 47100

Connection 1

Connector

D-subminiature female connector

Pole number 1

15

Connection type 1

System

Wire cross-section

0.25 mm²

Connection 2

Connector 2

Schneider BMXFTB2020

Pole number 2

20

Connection type 2

System

Physical data

Cable length

1 m

Material Data

Weight

192 g

Environmental requirements

Ambient temperature (operation)

-20 ... +50 °C

Commercial data

ETIM 8.0

EC000237

ETIM 7.0

EC000237

PU (SPU)

1 pcs

Packaging type

bag

Country of origin

FR

GTIN

4055143980630

Customs tariff number

85444290900

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide

pdf

Download

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

545.9 kB

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3340/400-100

URL

Download

System cable; for Schneider Modicon M340; 4 analog inputs (current); Length: 1 m;
Conductor cross-section: 0.25 mm²

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.