


**NOTES:**

1. MATERIAL:  
HOUSING: HIGH TEMP. THERMOPLASTIC UL94V-0,  
COLOR: BLACK  
TERMINAL: COPPER ALLOY
2. PLATING TYPE:
  - (1) : GOLD FLASH OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (2) : 1 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (3) : 10 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (4) : 15 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (5) : 30 MICRO INCHES MIN. GOLD PLATE ON CONTACT AND  
75 MICRO INCHES MIN. TIN ON SOLDERTAIL OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
  - (6) : 100 MICRO INCHES MIN. TIN IN SELECTED AREA OVER  
50 MICRO INCHES MIN. NICKEL OVERALL.
3. PRODUCT SPECIFICATION: PS-87920-019
4. PACKAGING SPECIFICATION: PK-89990-489 (TRAY)  
PK-89990-516 (TUBE)
5. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
6. THE ABOVE 6 CKT IS FOR ILLUSTRATION PURPOSE ONLY.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						<b>molex</b>	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A							
				MM		INCH		PRODUCT CUSTOMER DRAWING			
4 PLACES		±		±		±		EC NO: 679909		DOCUMENT NUMBER	
3 PLACES		±		±		±		DRWN: AKUMAR19		DOC TYPE	
2 PLACES		±		0.2		±		CHK'D: MRAMAKRISHNA		DOC PART	
1 PLACE		±		±		±		APPR: MRAMAKRISHNA		REVISION	
0 PLACES		±		±		±		INITIAL REVISION:		SD-87897-010	
ANGULAR TOL		±		3.0°		±		DRWN: YLQIAO		PSD	
								APPR: SLOW		001	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		SHEET NUMBER	
						A3-SIZE		87897		1 OF 15	
SEE TABLE				GENERAL MARKET							

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0101	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	1	2.54	----	5.84	2.29	1.52
87897-0102	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	2	2.54	----	5.84	2.29	1.52
87897-0103	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	3	2.54	----	5.84	2.29	1.52
87897-0104	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	4	2.54	----	5.84	2.29	1.52
87897-0105	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	5	2.54	----	5.84	2.29	1.52
87897-0106	-----	N/A $\triangle$ (A4)	-----	-----	-----	1	-----	6	2.54	----	5.84	2.29	1.52
87897-0201	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	1	5.08	2.54	5.84	2.29	1.52
87897-0202	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	2	5.08	2.54	5.84	2.29	1.52
87897-0203	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	3	5.08	2.54	5.84	2.29	1.52
87897-0204	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	4	5.08	2.54	5.84	2.29	1.52
87897-0205	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	5	5.08	2.54	5.84	2.29	1.52
87897-0206	-----	N/A $\triangle$ (A4)	-----	-----	-----	2	-----	6	5.08	2.54	5.84	2.29	1.52
87897-0301	-----	87897-0321	-----	-----	-----	3	-----	1	7.62	5.08	5.84	2.29	1.52
87897-0302	-----	87897-0322	-----	-----	-----	3	-----	2	7.62	5.08	5.84	2.29	1.52
87897-0303	-----	87897-0323	-----	-----	-----	3	-----	3	7.62	5.08	5.84	2.29	1.52
87897-0304	-----	87897-0324	-----	-----	-----	3	-----	4	7.62	5.08	5.84	2.29	1.52
87897-0305	-----	87897-0325	-----	-----	-----	3	-----	5	7.62	5.08	5.84	2.29	1.52
87897-0306	-----	87897-0326	-----	-----	-----	3	-----	6	7.62	5.08	5.84	2.29	1.52
(A5) -----	-----	87897-0329	-----	-----	-----	3	-----	6	7.62	5.08	5.84	2.29	1.52

(A4)  $\triangle$  TUBE OPTION IS NOT RECOMMENDED FOR CKT 1 AND 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		APPR: MRAMAKRISHNA		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		PRODUCT CUSTOMER DRAWING	
				ANGULAR TOL $\pm$ 3.0°		APPR: SLOW		2005/02/01		DOCUMENT NUMBER	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87897		MATERIAL NUMBER	
										CUSTOMER	
										SEE TABLE	
										GENERAL MARKET	
										SHEET NUMBER	
										2 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A


PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0401	-----	87897-0421	-----	-----	-----	4	-----	1	10.16	7.62	5.84	2.29	1.52
87897-0402	-----	87897-0422	-----	-----	-----	4	-----	2	10.16	7.62	5.84	2.29	1.52
87897-0403	-----	87897-0423	-----	-----	-----	4	-----	3	10.16	7.62	5.84	2.29	1.52
87897-0404	-----	87897-0424	-----	-----	-----	4	-----	4	10.16	7.62	5.84	2.29	1.52
87897-0405	-----	87897-0425	-----	-----	-----	4	-----	5	10.16	7.62	5.84	2.29	1.52
87897-0406	-----	87897-0426	-----	-----	-----	4	-----	6	10.16	7.62	5.84	2.29	1.52
(A5) -----	-----	87897-0430	-----	-----	-----	4	-----	6	10.16	7.62	5.84	2.29	1.52
87897-0501	-----	87897-0521	-----	-----	-----	5	-----	1	12.70	10.16	5.84	2.29	1.52
87897-0502	-----	87897-0522	-----	-----	-----	5	-----	2	12.70	10.16	5.84	2.29	1.52
87897-0503	-----	87897-0523	-----	-----	-----	5	-----	3	12.70	10.16	5.84	2.29	1.52
87897-0504	-----	87897-0524	-----	-----	-----	5	-----	4	12.70	10.16	5.84	2.29	1.52
87897-0505	-----	87897-0525	-----	-----	-----	5	-----	5	12.70	10.16	5.84	2.29	1.52
87897-0506	-----	87897-0526	-----	-----	-----	5	-----	6	12.70	10.16	5.84	2.29	1.52
(A5) -----	-----	87897-0527	-----	-----	-----	5	-----	6	12.70	10.16	5.84	2.29	1.52
87897-0601	-----	87897-0621	-----	-----	-----	6	-----	1	15.24	12.70	5.84	2.29	1.52
87897-0602	-----	87897-0622	-----	-----	-----	6	-----	2	15.24	12.70	5.84	2.29	1.52
87897-0603	-----	87897-0623	-----	-----	-----	6	-----	3	15.24	12.70	5.84	2.29	1.52
87897-0604	-----	87897-0624	-----	-----	-----	6	-----	4	15.24	12.70	5.84	2.29	1.52
87897-0605	-----	87897-0625	-----	-----	-----	6	-----	5	15.24	12.70	5.84	2.29	1.52
87897-0606	-----	87897-0626	-----	-----	-----	6	-----	6	15.24	12.70	5.84	2.29	1.52
(A5) 87897-0608	-----	-----	-----	-----	-----	6	-----	6	15.24	12.70	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT						<b>molex</b>	
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		APPR: MRAMAKRISHNA		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		PRODUCT CUSTOMER DRAWING	
				ANGULAR TOL ± 3.0°		APPR: SLOW		2005/02/01		DOCUMENT NUMBER	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		87897		MATERIAL NUMBER	
										CUSTOMER	
										SEE TABLE	
										GENERAL MARKET	
										SHEET NUMBER	
										3 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-0701	-----	87897-0721	-----	-----	-----	7	-----	1	17.78	15.24	5.84	2.29	1.52
87897-0702	-----	87897-0722	-----	-----	-----	7	-----	2	17.78	15.24	5.84	2.29	1.52
87897-0703	-----	87897-0723	-----	-----	-----	7	-----	3	17.78	15.24	5.84	2.29	1.52
87897-0704	-----	87897-0724	-----	-----	-----	7	-----	4	17.78	15.24	5.84	2.29	1.52
87897-0705	-----	87897-0725	-----	-----	-----	7	-----	5	17.78	15.24	5.84	2.29	1.52
87897-0706	-----	87897-0726	-----	-----	-----	7	-----	6	17.78	15.24	5.84	2.29	1.52
(A5) 87897-0708	-----	-----	-----	-----	-----	7	-----	6	17.78	15.24	5.84	2.29	1.52
87897-0801	-----	87897-0821	-----	-----	-----	8	-----	1	20.32	17.78	5.84	2.29	1.52
87897-0802	-----	87897-0822	-----	-----	-----	8	-----	2	20.32	17.78	5.84	2.29	1.52
87897-0803	-----	87897-0823	-----	-----	-----	8	-----	3	20.32	17.78	5.84	2.29	1.52
87897-0804	-----	87897-0824	-----	-----	-----	8	-----	4	20.32	17.78	5.84	2.29	1.52
87897-0805	-----	87897-0825	-----	-----	-----	8	-----	5	20.32	17.78	5.84	2.29	1.52
87897-0806	-----	87897-0826	-----	-----	-----	8	-----	6	20.32	17.78	5.84	2.29	1.52
87897-0901	-----	87897-0921	-----	-----	-----	9	-----	1	22.86	20.32	5.84	2.29	1.52
87897-0902	-----	87897-0922	-----	-----	-----	9	-----	2	22.86	20.32	5.84	2.29	1.52
87897-0903	-----	87897-0923	-----	-----	-----	9	-----	3	22.86	20.32	5.84	2.29	1.52
87897-0904	-----	87897-0924	-----	-----	-----	9	-----	4	22.86	20.32	5.84	2.29	1.52
87897-0905	-----	87897-0925	-----	-----	-----	9	-----	5	22.86	20.32	5.84	2.29	1.52
87897-0906	-----	87897-0926	-----	-----	-----	9	-----	6	22.86	20.32	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
				ANGULAR TOL ± 3.0°						DOC TYPE DOC PART REVISION	
										PSD 001 A5	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		CUSTOMER	
										SEE TABLE	
										GENERAL MARKET	
										SHEET NUMBER	
										4 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1001	-----	87897-1021	-----	-----	-----	10	-----	1	25.40	22.86	5.84	2.29	1.52
87897-1002	-----	87897-1022	-----	-----	-----	10	-----	2	25.40	22.86	5.84	2.29	1.52
87897-1003	-----	87897-1023	-----	-----	-----	10	-----	3	25.40	22.86	5.84	2.29	1.52
87897-1004	-----	87897-1024	-----	-----	-----	10	-----	4	25.40	22.86	5.84	2.29	1.52
87897-1005	-----	87897-1025	-----	-----	-----	10	-----	5	25.40	22.86	5.84	2.29	1.52
87897-1006	-----	87897-1026	-----	-----	-----	10	-----	6	25.40	22.86	5.84	2.29	1.52
87897-1101	-----	87897-1121	-----	-----	-----	11	-----	1	27.94	25.40	5.84	2.29	1.52
87897-1102	-----	87897-1122	-----	-----	-----	11	-----	2	27.94	25.40	5.84	2.29	1.52
87897-1103	-----	87897-1123	-----	-----	-----	11	-----	3	27.94	25.40	5.84	2.29	1.52
87897-1104	-----	87897-1124	-----	-----	-----	11	-----	4	27.94	25.40	5.84	2.29	1.52
87897-1105	-----	87897-1125	-----	-----	-----	11	-----	5	27.94	25.40	5.84	2.29	1.52
87897-1106	-----	87897-1126	-----	-----	-----	11	-----	6	27.94	25.40	5.84	2.29	1.52
87897-1101	-----	87897-1221	-----	-----	-----	12	-----	1	30.48	27.94	5.84	2.29	1.52
87897-1102	-----	87897-1222	-----	-----	-----	12	-----	2	30.48	27.94	5.84	2.29	1.52
87897-1103	-----	87897-1223	-----	-----	-----	12	-----	3	30.48	27.94	5.84	2.29	1.52
87897-1104	-----	87897-1224	-----	-----	-----	12	-----	4	30.48	27.94	5.84	2.29	1.52
87897-1105	-----	87897-1225	-----	-----	-----	12	-----	5	30.48	27.94	5.84	2.29	1.52
87897-1106	-----	87897-1226	-----	-----	-----	12	-----	6	30.48	27.94	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										5 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1301	-----	87897-1321	-----	-----	-----	13	-----	1	33.02	30.48	5.84	2.29	1.52
87897-1302	-----	87897-1322	-----	-----	-----	13	-----	2	33.02	30.48	5.84	2.29	1.52
87897-1303	-----	87897-1323	-----	-----	-----	13	-----	3	33.02	30.48	5.84	2.29	1.52
87897-1304	-----	87897-1324	-----	-----	-----	13	-----	4	33.02	30.48	5.84	2.29	1.52
87897-1305	-----	87897-1325	-----	-----	-----	13	-----	5	33.02	30.48	5.84	2.29	1.52
87897-1306	-----	87897-1326	-----	-----	-----	13	-----	6	33.02	30.48	5.84	2.29	1.52
87897-1401	-----	87897-1421	-----	-----	-----	14	-----	1	35.56	33.02	5.84	2.29	1.52
87897-1402	-----	87897-1422	-----	-----	-----	14	-----	2	35.56	33.02	5.84	2.29	1.52
87897-1403	-----	87897-1423	-----	-----	-----	14	-----	3	35.56	33.02	5.84	2.29	1.52
87897-1404	-----	87897-1424	-----	-----	-----	14	-----	4	35.56	33.02	5.84	2.29	1.52
87897-1405	-----	87897-1425	-----	-----	-----	14	-----	5	35.56	33.02	5.84	2.29	1.52
87897-1406	-----	87897-1426	-----	-----	-----	14	-----	6	35.56	33.02	5.84	2.29	1.52
87897-1501	-----	87897-1521	-----	-----	-----	15	-----	1	38.10	35.56	5.84	2.29	1.52
87897-1502	-----	87897-1522	-----	-----	-----	15	-----	2	38.10	35.56	5.84	2.29	1.52
87897-1503	-----	87897-1523	-----	-----	-----	15	-----	3	38.10	35.56	5.84	2.29	1.52
87897-1504	-----	87897-1524	-----	-----	-----	15	-----	4	38.10	35.56	5.84	2.29	1.52
87897-1505	-----	87897-1525	-----	-----	-----	15	-----	5	38.10	35.56	5.84	2.29	1.52
87897-1506	-----	87897-1526	-----	-----	-----	15	-----	6	38.10	35.56	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		SEE TABLE	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:26		SHEET NUMBER	
										6 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A


PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1601	-----	87897-1621	-----	-----	-----	16	-----	1	40.64	38.10	5.84	2.29	1.52
87897-1602	-----	87897-1622	-----	-----	-----	16	-----	2	40.64	38.10	5.84	2.29	1.52
87897-1603	-----	87897-1623	-----	-----	-----	16	-----	3	40.64	38.10	5.84	2.29	1.52
87897-1604	-----	87897-1624	-----	-----	-----	16	-----	4	40.64	38.10	5.84	2.29	1.52
87897-1605	-----	87897-1625	-----	-----	-----	16	-----	5	40.64	38.10	5.84	2.29	1.52
87897-1606	-----	87897-1626	-----	-----	-----	16	-----	6	40.64	38.10	5.84	2.29	1.52
87897-1701	-----	87897-1721	-----	-----	-----	17	-----	1	43.18	40.64	5.84	2.29	1.52
87897-1702	-----	87897-1722	-----	-----	-----	17	-----	2	43.18	40.64	5.84	2.29	1.52
87897-1703	-----	87897-1723	-----	-----	-----	17	-----	3	43.18	40.64	5.84	2.29	1.52
87897-1704	-----	87897-1724	-----	-----	-----	17	-----	4	43.18	40.64	5.84	2.29	1.52
87897-1705	-----	87897-1725	-----	-----	-----	17	-----	5	43.18	40.64	5.84	2.29	1.52
87897-1706	-----	87897-1726	-----	-----	-----	17	-----	6	43.18	40.64	5.84	2.29	1.52
87897-1801	-----	87897-1821	-----	-----	-----	18	-----	1	45.72	43.18	5.84	2.29	1.52
87897-1802	-----	87897-1822	-----	-----	-----	18	-----	2	45.72	43.18	5.84	2.29	1.52
87897-1803	-----	87897-1823	-----	-----	-----	18	-----	3	45.72	43.18	5.84	2.29	1.52
87897-1804	-----	87897-1824	-----	-----	-----	18	-----	4	45.72	43.18	5.84	2.29	1.52
87897-1805	-----	87897-1825	-----	-----	-----	18	-----	5	45.72	43.18	5.84	2.29	1.52
87897-1806	-----	87897-1826	-----	-----	-----	18	-----	6	45.72	43.18	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		SEE TABLE	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:26		SHEET NUMBER	
										7 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-1901	-----	87897-1921	-----	-----	-----	19	-----	1	48.26	45.72	5.84	2.29	1.52
87897-1902	-----	87897-1922	-----	-----	-----	19	-----	2	48.26	45.72	5.84	2.29	1.52
87897-1903	-----	87897-1923	-----	-----	-----	19	-----	3	48.26	45.72	5.84	2.29	1.52
87897-1904	-----	87897-1924	-----	-----	-----	19	-----	4	48.26	45.72	5.84	2.29	1.52
87897-1905	-----	87897-1925	-----	-----	-----	19	-----	5	48.26	45.72	5.84	2.29	1.52
87897-1906	-----	87897-1926	-----	-----	-----	19	-----	6	48.26	45.72	5.84	2.29	1.52
87897-2001	-----	87897-2021	-----	-----	-----	20	-----	1	50.80	48.26	5.84	2.29	1.52
87897-2002	-----	87897-2122	-----	-----	-----	20	-----	2	50.80	48.26	5.84	2.29	1.52
87897-2003	-----	87897-2223	-----	-----	-----	20	-----	3	50.80	48.26	5.84	2.29	1.52
87897-2004	-----	87897-2324	-----	-----	-----	20	-----	4	50.80	48.26	5.84	2.29	1.52
87897-2005	-----	87897-2425	-----	-----	-----	20	-----	5	50.80	48.26	5.84	2.29	1.52
87897-2006	-----	87897-2526	-----	-----	-----	20	-----	6	50.80	48.26	5.84	2.29	1.52
87897-2101	-----	87897-2121	-----	-----	-----	21	-----	1	53.34	50.80	5.84	2.29	1.52
87897-2102	-----	87897-2122	-----	-----	-----	21	-----	2	53.34	50.80	5.84	2.29	1.52
87897-2103	-----	87897-2123	-----	-----	-----	21	-----	3	53.34	50.80	5.84	2.29	1.52
87897-2104	-----	87897-2124	-----	-----	-----	21	-----	4	53.34	50.80	5.84	2.29	1.52
87897-2105	-----	87897-2125	-----	-----	-----	21	-----	5	53.34	50.80	5.84	2.29	1.52
87897-2106	-----	87897-2126	-----	-----	-----	21	-----	6	53.34	50.80	5.84	2.29	1.52



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		2021/06/28		SALES DRAWING	
				DRWN: AKUMAR19		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				CHK'D: MRAMAKRISHNA		2021/10/11		PRODUCT CUSTOMER DRAWING	
				APPR: MRAMAKRISHNA		2021/10/11			
				INITIAL REVISION:					
				DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SCLW		2005/02/01		SD-87897-010	
				ANGULAR TOL ± 3.0°				DOC TYPE	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DOC PART	
						DRAWING		REVISION	
						SERIES			
						MATERIAL NUMBER			
						CUSTOMER			
								SHEET NUMBER	
						A3-SIZE		8 OF 15	



F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2201	-----	87897-2221	-----	-----	-----	22	-----	1	55.88	53.34	5.84	2.29	1.52
87897-2202	-----	87897-2222	-----	-----	-----	22	-----	2	55.88	53.34	5.84	2.29	1.52
87897-2203	-----	87897-2223	-----	-----	-----	22	-----	3	55.88	53.34	5.84	2.29	1.52
87897-2204	-----	87897-2224	-----	-----	-----	22	-----	4	55.88	53.34	5.84	2.29	1.52
87897-2205	-----	87897-2225	-----	-----	-----	22	-----	5	55.88	53.34	5.84	2.29	1.52
87897-2206	-----	87897-2226	-----	-----	-----	22	-----	6	55.88	53.34	5.84	2.29	1.52
87897-2301	-----	87897-2321	-----	-----	-----	23	-----	1	58.42	55.88	5.84	2.29	1.52
87897-2302	-----	87897-2322	-----	-----	-----	23	-----	2	58.42	55.88	5.84	2.29	1.52
87897-2303	-----	87897-2323	-----	-----	-----	23	-----	3	58.42	55.88	5.84	2.29	1.52
87897-2304	-----	87897-2324	-----	-----	-----	23	-----	4	58.42	55.88	5.84	2.29	1.52
87897-2305	-----	87897-2325	-----	-----	-----	23	-----	5	58.42	55.88	5.84	2.29	1.52
87897-2306	-----	87897-2326	-----	-----	-----	23	-----	6	58.42	55.88	5.84	2.29	1.52
87897-2401	-----	87897-2421	-----	-----	-----	24	-----	1	60.96	58.42	5.84	2.29	1.52
87897-2402	-----	87897-2422	-----	-----	-----	24	-----	2	60.96	58.42	5.84	2.29	1.52
87897-2403	-----	87897-2423	-----	-----	-----	24	-----	3	60.96	58.42	5.84	2.29	1.52
87897-2404	-----	87897-2424	-----	-----	-----	24	-----	4	60.96	58.42	5.84	2.29	1.52
87897-2405	-----	87897-2425	-----	-----	-----	24	-----	5	60.96	58.42	5.84	2.29	1.52
87897-2406	-----	87897-2426	-----	-----	-----	24	-----	6	60.96	58.42	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
		MM		INCH							
4 PLACES		±		±							
3 PLACES		±		±							
2 PLACES		± 0.2		±							
1 PLACE		±		±							
0 PLACES		±		±							
ANGULAR TOL		± 3.0°									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		SEE TABLE	
DOCUMENT STATUS				P1		RELEASE DATE		2021/10/11 11:53:26		SHEET NUMBER	
										9 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2501	-----	87897-2521	-----	-----	-----	25	-----	1	63.50	60.96	5.84	2.29	1.52
87897-2502	-----	87897-2522	-----	-----	-----	25	-----	2	63.50	60.96	5.84	2.29	1.52
87897-2503	-----	87897-2523	-----	-----	-----	25	-----	3	63.50	60.96	5.84	2.29	1.52
87897-2504	-----	87897-2524	-----	-----	-----	25	-----	4	63.50	60.96	5.84	2.29	1.52
87897-2505	-----	87897-2525	-----	-----	-----	25	-----	5	63.50	60.96	5.84	2.29	1.52
87897-2506	-----	87897-2526	-----	-----	-----	25	-----	6	63.50	60.96	5.84	2.29	1.52
87897-2601	-----	87897-2621	-----	-----	-----	26	-----	1	66.04	63.50	5.84	2.29	1.52
87897-2602	-----	87897-2622	-----	-----	-----	26	-----	2	66.04	63.50	5.84	2.29	1.52
87897-2603	-----	87897-2623	-----	-----	-----	26	-----	3	66.04	63.50	5.84	2.29	1.52
87897-2604	-----	87897-2624	-----	-----	-----	26	-----	4	66.04	63.50	5.84	2.29	1.52
87897-2605	-----	87897-2625	-----	-----	-----	26	-----	5	66.04	63.50	5.84	2.29	1.52
87897-2606	-----	87897-2626	-----	-----	-----	26	-----	6	66.04	63.50	5.84	2.29	1.52
87897-2701	-----	87897-2721	-----	-----	-----	27	-----	1	68.58	66.04	5.84	2.29	1.52
87897-2702	-----	87897-2722	-----	-----	-----	27	-----	2	68.58	66.04	5.84	2.29	1.52
87897-2703	-----	87897-2723	-----	-----	-----	27	-----	3	68.58	66.04	5.84	2.29	1.52
87897-2704	-----	87897-2724	-----	-----	-----	27	-----	4	68.58	66.04	5.84	2.29	1.52
87897-2705	-----	87897-2725	-----	-----	-----	27	-----	5	68.58	66.04	5.84	2.29	1.52
87897-2706	-----	87897-2726	-----	-----	-----	27	-----	6	68.58	66.04	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										10 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-2801	-----	87897-2821	-----	-----	-----	28	-----	1	71.12	68.58	5.84	2.29	1.52
87897-2802	-----	87897-2822	-----	-----	-----	28	-----	2	71.12	68.58	5.84	2.29	1.52
87897-2803	-----	87897-2823	-----	-----	-----	28	-----	3	71.12	68.58	5.84	2.29	1.52
87897-2804	-----	87897-2824	-----	-----	-----	28	-----	4	71.12	68.58	5.84	2.29	1.52
87897-2805	-----	87897-2825	-----	-----	-----	28	-----	5	71.12	68.58	5.84	2.29	1.52
87897-2806	-----	87897-2826	-----	-----	-----	28	-----	6	71.12	68.58	5.84	2.29	1.52
87897-2901	-----	87897-2921	-----	-----	-----	29	-----	1	73.66	71.12	5.84	2.29	1.52
87897-2902	-----	87897-2922	-----	-----	-----	29	-----	2	73.66	71.12	5.84	2.29	1.52
87897-2903	-----	87897-2923	-----	-----	-----	29	-----	3	73.66	71.12	5.84	2.29	1.52
87897-2904	-----	87897-2924	-----	-----	-----	29	-----	4	73.66	71.12	5.84	2.29	1.52
87897-2905	-----	87897-2925	-----	-----	-----	29	-----	5	73.66	71.12	5.84	2.29	1.52
87897-2906	-----	87897-2926	-----	-----	-----	29	-----	6	73.66	71.12	5.84	2.29	1.52
87897-3001	-----	87897-3021	-----	-----	-----	30	-----	1	76.20	73.66	5.84	2.29	1.52
87897-3002	-----	87897-3022	-----	-----	-----	30	-----	2	76.20	73.66	5.84	2.29	1.52
87897-3003	-----	87897-3023	-----	-----	-----	30	-----	3	76.20	73.66	5.84	2.29	1.52
87897-3004	-----	87897-3024	-----	-----	-----	30	-----	4	76.20	73.66	5.84	2.29	1.52
87897-3005	-----	87897-3025	-----	-----	-----	30	-----	5	76.20	73.66	5.84	2.29	1.52
87897-3006	-----	87897-3026	-----	-----	-----	30	-----	6	76.20	73.66	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		APPR: MRAMAKRISHNA		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		PRODUCT CUSTOMER DRAWING	
				ANGULAR TOL ± 3.0°		APPR: SLOW		2005/02/01		DOCUMENT NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
						A3-SIZE		87897		CUSTOMER	
						SEE TABLE		GENERAL MARKET		REVISION	
										SD-87897-010	
										PSD 001 A5	
										SHEET NUMBER	
										11 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A



PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3101	-----	87897-3121	-----	-----	-----	31	-----	1	78.74	76.2	5.84	2.29	1.52
87897-3102	-----	87897-3122	-----	-----	-----	31	-----	2	78.74	76.2	5.84	2.29	1.52
87897-3103	-----	87897-3123	-----	-----	-----	31	-----	3	78.74	76.2	5.84	2.29	1.52
87897-3104	-----	87897-3124	-----	-----	-----	31	-----	4	78.74	76.2	5.84	2.29	1.52
87897-3105	-----	87897-3125	-----	-----	-----	31	-----	5	78.74	76.2	5.84	2.29	1.52
87897-3106	-----	87897-3126	-----	-----	-----	31	-----	6	78.74	76.2	5.84	2.29	1.52
87897-3201	-----	87897-3221	-----	-----	-----	32	-----	1	81.28	78.74	5.84	2.29	1.52
87897-3202	-----	87897-3222	-----	-----	-----	32	-----	2	81.28	78.74	5.84	2.29	1.52
87897-3203	-----	87897-3223	-----	-----	-----	32	-----	3	81.28	78.74	5.84	2.29	1.52
87897-3204	-----	87897-3224	-----	-----	-----	32	-----	4	81.28	78.74	5.84	2.29	1.52
87897-3205	-----	87897-3225	-----	-----	-----	32	-----	5	81.28	78.74	5.84	2.29	1.52
87897-3206	-----	87897-3226	-----	-----	-----	32	-----	6	81.28	78.74	5.84	2.29	1.52
87897-3301	-----	87897-3321	-----	-----	-----	33	-----	1	83.82	81.28	5.84	2.29	1.52
87897-3302	-----	87897-3322	-----	-----	-----	33	-----	2	83.82	81.28	5.84	2.29	1.52
87897-3303	-----	87897-3323	-----	-----	-----	33	-----	3	83.82	81.28	5.84	2.29	1.52
87897-3304	-----	87897-3324	-----	-----	-----	33	-----	4	83.82	81.28	5.84	2.29	1.52
87897-3305	-----	87897-3325	-----	-----	-----	33	-----	5	83.82	81.28	5.84	2.29	1.52
87897-3306	-----	87897-3326	-----	-----	-----	33	-----	6	83.82	81.28	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		SALES DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		2021/10/11		SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
				APPR: MRAMAKRISHNA		2021/10/11		2021/10/11		PRODUCT CUSTOMER DRAWING	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SLOW		2005/02/01		2005/02/01		SD-87897-010	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
								SEE TABLE		GENERAL MARKET	
										SHEET NUMBER	
										12 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3401	-----	87897-3421	-----	-----	-----	34	-----	1	86.36	83.82	5.84	2.29	1.52
87897-3402	-----	87897-3422	-----	-----	-----	34	-----	2	86.36	83.82	5.84	2.29	1.52
87897-3403	-----	87897-3423	-----	-----	-----	34	-----	3	86.36	83.82	5.84	2.29	1.52
87897-3404	-----	87897-3424	-----	-----	-----	34	-----	4	86.36	83.82	5.84	2.29	1.52
87897-3405	-----	87897-3425	-----	-----	-----	34	-----	5	86.36	83.82	5.84	2.29	1.52
87897-3406	-----	87897-3426	-----	-----	-----	34	-----	6	86.36	83.82	5.84	2.29	1.52
87897-3501	-----	87897-3521	-----	-----	-----	35	-----	1	88.90	86.36	5.84	2.29	1.52
87897-3502	-----	87897-3522	-----	-----	-----	35	-----	2	88.90	86.36	5.84	2.29	1.52
87897-3503	-----	87897-3523	-----	-----	-----	35	-----	3	88.90	86.36	5.84	2.29	1.52
87897-3504	-----	87897-3524	-----	-----	-----	35	-----	4	88.90	86.36	5.84	2.29	1.52
87897-3505	-----	87897-3525	-----	-----	-----	35	-----	5	88.90	86.36	5.84	2.29	1.52
87897-3506	-----	87897-3526	-----	-----	-----	35	-----	6	88.90	86.36	5.84	2.29	1.52
87897-3601	-----	87897-3621	-----	-----	-----	36	-----	1	91.44	88.90	5.84	2.29	1.52
87897-3602	-----	87897-3622	-----	-----	-----	36	-----	2	91.44	88.90	5.84	2.29	1.52
87897-3603	-----	87897-3623	-----	-----	-----	36	-----	3	91.44	88.90	5.84	2.29	1.52
87897-3604	-----	87897-3624	-----	-----	-----	36	-----	4	91.44	88.90	5.84	2.29	1.52
87897-3605	-----	87897-3625	-----	-----	-----	36	-----	5	91.44	88.90	5.84	2.29	1.52
87897-3606	-----	87897-3626	-----	-----	-----	36	-----	6	91.44	88.90	5.84	2.29	1.52
(A5) 87897-3607	-----	-----	-----	-----	-----	36	-----	6	91.44	88.90	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: BRIGHT TIN PHASE OUT							
mm		NTS		SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909		DRWN: AKUMAR19		2021/06/28		PRODUCT CUSTOMER DRAWING	
				CHK'D: MRAMAKRISHNA		2021/10/11		APPR: MRAMAKRISHNA		2021/10/11	
				INITIAL REVISION:		DRWN: YLQIAO		2005/01/24		DOCUMENT NUMBER	
				APPR: SCLW		2005/02/01		SD-87897-010		DOC TYPE DOC PART REVISION	
ANGULAR TOL ± 3.0°				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		87897		CUSTOMER	
						SEE TABLE		GENERAL MARKET		SHEET NUMBER	
										13 OF 15	

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-3701	-----	87897-3721	-----	-----	-----	37	-----	1	93.98	91.44	5.84	2.29	1.52
87897-3702	-----	87897-3722	-----	-----	-----	37	-----	2	93.98	91.44	5.84	2.29	1.52
87897-3703	-----	87897-3723	-----	-----	-----	37	-----	3	93.98	91.44	5.84	2.29	1.52
87897-3704	-----	87897-3724	-----	-----	-----	37	-----	4	93.98	91.44	5.84	2.29	1.52
87897-3705	-----	87897-3725	-----	-----	-----	37	-----	5	93.98	91.44	5.84	2.29	1.52
87897-3706	-----	87897-3726	-----	-----	-----	37	-----	6	93.98	91.44	5.84	2.29	1.52
87897-3801	-----	87897-3821	-----	-----	-----	38	-----	1	96.52	93.98	5.84	2.29	1.52
87897-3802	-----	87897-3822	-----	-----	-----	38	-----	2	96.52	93.98	5.84	2.29	1.52
87897-3803	-----	87897-3823	-----	-----	-----	38	-----	3	96.52	93.98	5.84	2.29	1.52
87897-3804	-----	87897-3824	-----	-----	-----	38	-----	4	96.52	93.98	5.84	2.29	1.52
87897-3805	-----	87897-3825	-----	-----	-----	38	-----	5	96.52	93.98	5.84	2.29	1.52
87897-3806	-----	87897-3826	-----	-----	-----	38	-----	6	96.52	93.98	5.84	2.29	1.52
87897-3901	-----	87897-3921	-----	-----	-----	39	-----	1	99.06	96.52	5.84	2.29	1.52
87897-3902	-----	87897-3922	-----	-----	-----	39	-----	2	99.06	96.52	5.84	2.29	1.52
87897-3903	-----	87897-3923	-----	-----	-----	39	-----	3	99.06	96.52	5.84	2.29	1.52
87897-3904	-----	87897-3924	-----	-----	-----	39	-----	4	99.06	96.52	5.84	2.29	1.52
87897-3905	-----	87897-3925	-----	-----	-----	39	-----	5	99.06	96.52	5.84	2.29	1.52
87897-3906	-----	87897-3926	-----	-----	-----	39	-----	6	99.06	96.52	5.84	2.29	1.52



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT		<b>molex</b>	
mm	NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A	
	MM	INCH			PRODUCT CUSTOMER DRAWING
4 PLACES	±	±	EC NO: 679909		
3 PLACES	±	±	DRWN: AKUMAR19	2021/06/28	
2 PLACES	± 0.2	±	CHK'D: MRAMAKRISHNA	2021/10/11	
1 PLACE	±	±	APPR: MRAMAKRISHNA	2021/10/11	
0 PLACES	±	±	INITIAL REVISION:		DOCUMENT NUMBER
ANGULAR TOL ± 3.0°		DRWN: YLQIAO		2005/01/24	SD-87897-010
		APPR: SLOW		2005/02/01	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
			A3-SIZE	87897	SEE TABLE
					CUSTOMER
					GENERAL MARKET
					SHEET NUMBER
					14 OF 15

FORMAT: Mel-lega-master-ib-prod-A3  
REVISION: E  
DATE: 2020/01/14

PACKAGING OPTION PART NO.						CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
TRAY WITHOUT CAP	TRAY WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	TAPE & REEL WITHOUT CAP	TAPE & REEL WITH CAP				A	B	C	D	E
87897-4001	-----	87897-4021	-----	-----	-----	40	-----	1	101.6	99.06	5.84	2.29	1.52
87897-4002	-----	87897-4022	-----	-----	-----	40	-----	2	101.6	99.06	5.84	2.29	1.52
87897-4003	-----	87897-4023	-----	-----	-----	40	-----	3	101.6	99.06	5.84	2.29	1.52
87897-4004	-----	87897-4024	-----	-----	-----	40	-----	4	101.6	99.06	5.84	2.29	1.52
87897-4005	-----	87897-4025	-----	-----	-----	40	-----	5	101.6	99.06	5.84	2.29	1.52
87897-4006	-----	87897-4026	-----	-----	-----	40	-----	6	101.6	99.06	5.84	2.29	1.52
(A5) 87897-4007	-----	87897-4027	-----	-----	-----	40	-----	6	101.6	99.06	5.84	2.29	1.52

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: BRIGHT TIN PHASE OUT					
mm	NTS						
GENERAL TOLERANCES (UNLESS SPECIFIED)				SALES DRAWING SINGLE ROW SINGLE WAFER 2.54MM PITCH, R/A			
				PRODUCT CUSTOMER DRAWING			
				DOCUMENT NUMBER			
				SD-87897-010			
				DOC TYPE			
				PSD			
				DOC PART			
				001			
				REVISION			
				A5			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES	
				A3-SIZE		87897	
				MATERIAL NUMBER		CUSTOMER	
				SEE TABLE		GENERAL MARKET	
						SHEET NUMBER	
						15 OF 15	