

Data sheet | Item number: 280-440

Operating tool; made of insulating material; 10-way

www.wago.com/280-440



Data

Technical data

Main product function	Operating tool
Number of spacings	10 -way

Physical data

Depth	150 mm / 5.91 inches
Pin spacing	5/5.08 mm

Mechanical Data

Suitable	for male and female connectors with CAGE CLAMP [®] connection
----------	--

Material Data

Fire load	0.929 MJ
Weight	30.7 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



PU (SPU)	30 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332271936
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

280-440 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
280-440 doc - Datei	2017 Sep 11	doc 24.1 kB	Download


Environmental Product Compliance

Compliance Search


Environmental Product Compliance 280-440 Operating tool; made of insulating material; 10-way	URL	Download
---	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!



Inserting a male connector via multipole operating tool.



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool

Subject to changes. Please also observe the further product documentation!