

		OR PUBLICATION -,		l	················				LOC DIST	REVISIONS
	COPYRIGHI - BY ITCO ELECTRONICS CORPORATION.	· · · · · · · · · · · · · · · · · · ·								
	NUMBER NEV USED	TERMINATOR FEED TYPE	DESCRIPTION							
							- 1 1	1 1 1		DEPRESSOR, WIRE
							- 1 1	1 1 1		PRINT, APPLICATOR LOG SHEET
				0			- 1 1			
				E E						
	1528476-7 A			ų p					1 1490524-2	SPACER, DEPRESSOR
							- 1 1	1 1 1	1 461264-5	PLATE, IDENTIFICATION
				I I	(37)		- 2 2	2 2 2		
					1 –		- 1 1	1 1 1	1 1424350-1	
							- 1 1	1 1 1	1 3-18031-0	SCR,SKT_SET(M6X6)RAM
	RIMP DATA AMP TERMIN	AL AMP CRIMP SPECS		8-0 E C					0 0 10070 5	
			(31)					· · · ·		
		A			(39)					
			4 (20)	(63)			- 1 1	1 1 1	1 1338685-1	PAWL, FEED
			~	(45)	\frown					
	KEFER IU APPL SPEC	408-8322 & 408-8490			(38)		- 4 4	4 4 4	4 18024-8	SCR,BHC(M4x12)SHEAR HOLDER
	RMINAL –	- FEED						1 1 4	1 10070 4	
				50 (6)						
			7							
	TERMINALS APPLIE		_				- 1 1	1 1 1		
			(52)		(65)		1	1		
							- 1 -	1 1 -		
			(51)	e						APPLICATOR BASIC SUBASSY
	41174 –		\bigcirc	Lee To						
				G				1 1 1	1 1333237-1	
				l K						
				U. U.			- 1 1	1 1 1	1 2-18024-6	SCR,BHC(M8X25)RAM
						N				
					$ \mathbf{P} \mathbf{P}$)				
	E CRIMP HEI	HT REF				(28)				
3.30mm ² 2.20 4.00 6.00 6.1 3.00mm ² 2.20 4.00 6.00 6.1 3.00mm ² 1.00 1.0		SETTING		(46)				1 1 1	1 0/9103-2	FINE ADJUST HEAD SUBASST
4: MON-20 VOD 2 88 5032 [622 502 R] 0 0 2: 200 VT 218 5032 [725 502 R] 0 0 2: 200 VT 194 5030 [625 502 R] 0 0 1: 4 Mod 2 1/7 194 5030 [625 502 R] 0 0 1: 6 Mod 1 1/8 194 5030 [625 502 R] 0 0 0 1: 6 Mod 1 1/8 194 5030 [625 502 R] 0				(67)						
2.000 mt 2.000 mt <t< td=""><td></td><td></td><td></td><td></td><td></td><td>(41)</td><td>- 1 1</td><td>1 1 1</td><td>1 1-1320934-3</td><td>SUPPORT, TERMINAL</td></t<>						(41)	- 1 1	1 1 1	1 1-1320934-3	SUPPORT, TERMINAL
2.20mm 2.01 4.03 2.02 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 2.01 1.0 <							- 2 2	2 2 2	2 1-18024-0	SCR,BHC(M4X20)STRIP GUIDE
14 Area 1.98 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 20.05 (C7 ± 10.02 M) 0.8 1.50 mm/r 1.41 ± 1 1.900634-2 1.900674-2 1.50 mm/r 1.41 ± 1 1.900674-2 1.900674-2 1.50 mm/r 1.41 ± 1 1.900674-2 1.900674-2 1.50 m/r 1.900674-2 1.900674-2 1.900674-2 1.50 m/r 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.50 m/r 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.10 m/r 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.900674-2 1.							- 1 1	1 1 1		
Norm					°	Ur Car	- 3 3	3 3 3		
Line Line <thline< th=""> Line Line</thline<>		L 2		STATISTICS C			- 1 1			
150 mm² 161 ktols (2)1 kols (2)1 kols (2)1 kols (2)1 kols (2)1 kols (2) kols	2.00mm ² 1.94 ±0.05	[.076 ±.002 IN] C 9			\sim					
10 Avg 1.76 Auge Loga <	1.50mm ² 1.81 ±0.05	[.071 ±.002 IN] D 8			20 (21)		- 2 2	2 2 2		
	16 AWG 1.76 ±0.05	[.069 ±.002 IN] E 4	\frown				- 1 1	1 1 1		
Image: strate the sequence of	-	_	(33)				- 1 1	1 1 1	1 240792-1	DRAG, TERMINAL
- -	_						- 1 1	1 1 1		
- -	_		(24)		(19)		- 1 1	1 1 1		
	_				(34)					
Image: contract content contract contract contract contract c	_			50			- 4 4	4 4 4		
Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with the application. Image: control transmit with transmit w							1			
WIT EARCE LIS28476 ARECOMMENDED SPARE PARTS. C. GREASE RAM, CAM, CAM, FOLINGUER AND FEED ROD LIGHTLY. 3. LUBRATE DAILY PER THE APPLICATION INSTRUCTION SHEET SUPPLIED WITH THE APPLICATION. INSTRUCTION SHEET SUPPLIED WITH THE APPLICATION. INSTRUCTION DUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3 40MM MAX. VEW. B. ROTATED 180° PEED 40 mm STROK VEW. B. RO			29) REF							
isszes/secondensbed/space Recommended space Recommended space Isszes/secondensbed/space Isszes/secondensbed/secon			(29)				_ 1 _	- 1 -	- 1338684-1	HOLDER, SHEAR, FRONT (NO-CUT)
RECOMMENDED SPARE PARTS. 2. OREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY. 3. UDBRICATE DALLY PRE THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR. THIS APPLICATOR IS DESIGNED FOR DOUBLE WIRE APPLICATION. DUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3.40MM MAX. VEW B ROTATED 180' FEED 40 mm STROKE FEED 40 mm STROKE FEED 40 mm STROKE FREE VOIL FEED 30 mm STROKE FREE			- WIII O			(12)				
Recommended spare parts: 2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY. 3. LUBRICATE DALY FER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR. INSTRUCTION DOUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3.40MM MAX. Image: transmission of the provide the transmission of the provide				(46)		\sim				
RECOMMENDED SPARE PARTS. 2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROLLIGHTY. 3. LUBRICATE DALLY PER THE APPLICATOR 4. Comparison of the application is designed for bubble wire application. DOUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3.40MM MAX. 4. Comparison of the application. 5. USE ROTATED 180' 1. Structure DALLY PER THE APPLICATION. 6. Comparison of the application. 7. Comparison of the application. 8. C				C (REF) \		(1 1)				
All Neuroscience of the results o	A RECOMMENDED SPARE	PARTS	We with			/	- 1 1	1 1 1	1 3-22280-3	SPRING, SHEAR
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEER SUPPLIED WITH THE APPLICATOR IS DESIGNED FOR DOUBLE WIRE APPLICATION. DOUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3.40MM MAX.	2 OPEACE DAVI OAN 2) (56) (1 1	1 1 1		
SHEET SUPPLIED WITH THE APPLICATOR. THIS APPLICATOR IS DESIGNED FOR DOUBLE WIRE APPLICATION. DOUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3.40MM MAX.	$y \ge$ GREASE RAM, CAM, C		OPP OT	,		\^	\ 1	1 – 1		HOLDER, SHEAR, FRONT (CUT)
THIS APPLICATOR IS DESIGNED FOR DOUBLE WIRE APPLICATION. DOUBLE WIRE INSULATION SIZES CANNOT EXCEED 2 X 3.40MM MAX.						$ \downarrow $	$\left - \right 1 1$	1 1 1		
Will be insulation sizes cannot exceed 2 x 3.40MM MAX. Double wire insulation sizes cannot exceed 2 x 3.40MM MAX. View B ROTATED 180' <	•					(10)/1		2 1 1	1 4-1333207-7	ANVIL
Image: construction of the section				(REF)		(17)				
Image: control to contro	DOUBLE WIRE INSULAT	ON SIZES CANNOT EXCEED 2 X 3.40MM MA	X.	20		\bigcirc		1 1 1	1 2-455889-1	DEPRESSOR, SHEAR (FRONT)
VIEW B ROTATED 180° VIEW B ROTATED 180° FEED 40 mm STROKE POST FEED 30 mm STROKE POST FEED 40 mm STROKE POST FEE				(23)	(54)	^		1 1 1		
VIEW B ROTATED 180° * WARNING: FEED 40 mm STROKE POST FEED 30 mm STROKE PRE FEED 40 mm STROKE				ð	(60)	<u>_1</u>	1 2 2	2 1 1		
VIEW B ROTATED 180' FEED 40 mm STROKE POST FEED 30 mm STROKE PRE FEED 30 mm STROKE PRE FEED 40 mm STROKE PARTS LIST UNINSTALLATION, SET WIRE SETTING, USE OF SETTINGS USE OF SETINGS U					_	/		1 1 1		
VIEW B NOTATED Total WARNING: * WARNING: FEED 40 mm STROKE POST FEED 30 mm STROKE PRE FEED 40 mm STROKE PARTS LIST Image: strain stra				$\widehat{}$		<u>/1</u>				
FEED 40 mm STROKE POST FEED 30 mm STROKE POST FEED 40 mm STROKE POST		/IEW B ROTATED 180°	* \//A	(8)			-77 -76 -72	-71 -6 -2	-1 PART NO	DESCRIPTION
44 44 44 44 44 44 44 44 44 100 H K ADJ	FEED 40 mm STROKE POST FEED 3	mm STROKE PRE FEED 30 mm STROKE PRE F	EED 40 mm STROKE					QTY REOD PER A		PARTS LIST
Image: Second				SET WIRE			THIS DRAWING		UMENT. DWN 25N0V04	Tyco Electronics Corporation
Image: Second									CHK -	Electronics Harrisburg, PA 17105-3608
(REF) (R								UTHERWISE SP	F.BACKHURST	NL .
			'I IFIIIM I				*	0 PLC ± - 1 PLC ± -	PRODUCT SPEC	-
		(49)	$\sim \forall \exists d \lambda^{49} d d d d c r c c r c c r c c r c c r c c r c c r c c r$.160±.020		⊕€	2 PLC ± - 3 PLC ± - 4 PLC +	APPLICATION SPEC	
(47) (47)	(47)		48 JAMAGE TU CRIM	TOULING.		, N	MATERIAL	ANGLES FINISH		100779 C=1528476
GUIDE OFF INSULATION BARREL	(⁴)	/ ~	-				- 1	-	– P	

11JUL2008 8:01am

CUSTOMER DRAWING

DRAWING NUMBER - 1528476 SHEET 2 OF 2 REV. B2