



CUSTOMER: LSI LOGIC




NOTES:

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL 94V-0.
2. FINISH: SELECTIVE GOLD (Au) IN CONTACT AREA, 0.76 MICROMETERS MINIMUM THICKNESS, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) UNDERPLATE OVER ALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-74031-999 FOR PERFORMANCE SPECIFICATIONS.
4. REFER TO MOLEX DOCUMENT SD-75188-001 FOR ADDITIONAL DETAIL ON THE VHDM L-SERIES SIGNAL WAFER.
5. REFER TO MOLEX DOCUMENT SD-74681-002 FOR ADDITIONAL DETAIL ON THE HSD SIGNAL WAFER.
6. REFER TO MOLEX DOCUMENT SD-74037-006 FOR ADDITIONAL DETAIL ON THE GUIDANCE MODULE.
7. REFER TO MOLEX DOCUMENT SD-74026-002 FOR ADDITIONAL DETAIL ON THE POWER MODULE.
8. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.
9. PARTS ARE PACKAGED IN TUBES PER PK-70873-5041.



P/N 75298-9998 IS THE LEAD FREE VERSION OF 75298-0001



ITEM	PART NUMBER	DESCRIPTION	QTY
1	74046-0089	STIFFENER	1
2	75188-1005	VHDM L-SERIES SIGNAL WAFER, LF	10
3	74681-1001	HSD SIGNAL WAFER, LF	20
4	74037-8001	POLARIZING/GUIDE MODULE	2
5	73726-0000	GUIDE MODULE MNTG SCREW	2
6	75885-8321	POWER MODULE, LF	2

REV WAFER GEOMETRY EC NO: UICP2013-1531 DRAWN BY: CHYKOWITZ CHECKED BY: APPR: SMILLER DATE: 2012/10/26 DATE: 2012/12/05 DATE: 2012/12/07	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	∇=0 ∇=0 ∇=0	4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.25 ± --- 1 PLACE ± 0.38 ± --- 0 PLACE ± --- ± ---	mm INCH ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MM ONLY DRAWN BY: VARVARA CHECKED BY: KMULVEY APPROVED BY: SMILLER DATE: 05/08/05 DATE: 05/08/05 DATE: 2012/12/07	2:1	METRIC	TITLE: VHDM-L/HSD HYBRID LF 8 ROW DCARD ASSY SALES DRAWING molex
	MATERIAL NO.	DOCUMENT NO.	SHEET NO.				
	75298-9998	SD-75298-9998	1 OF 1				