


| ITEM | PART# | DESCRIPTION | QTY | UOM |
|------|------------|--------------------------------------|-----|-----|
| A | 5024390800 | 2.0 W/B Single Plug Hsg 8Ckt | 1 | PC |
| B | 5024380000 | 2.0 W/B Single Plug Term W/Pit Chain | 8 | PC |
| C | -- | WHITE PART ID LABEL | 1 | PC |

| FROM | TO | DESCRIPTION | COLOUR |
|------|-----|--------------------------------|--------|
| A1 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A2 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A3 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A4 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A5 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A6 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A7 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |
| A8 | --- | 1X22AWG DISC SR-PVC BK UL10002 | BLACK |



| PART NUMBER | TITLE | L1 | L2(REF) |
|-------------|--------------------------------------|-------|---------|
| 2219591080 | Clik-Mate 2.0 R-S 8ckt 50mm disc Sn | 50±5 | 15 |
| 2219591081 | Clik-Mate 2.0 R-S 8ckt 100mm disc Sn | 100±5 | 15 |
| 2219591082 | Clik-Mate 2.0 R-S 8ckt 150mm disc Sn | 150±5 | 15 |
| 2219591083 | Clik-Mate 2.0 R-S 8ckt 300mm disc Sn | 300±5 | 15 |
| 2219591084 | Clik-Mate 2.0 R-S 8ckt 600mm disc Sn | 600±5 | 15 |

MOLEX P/N
MOLEX
BATCH WK/YR

DETAIL A

NOTES

- CABLE ASSEMBLY TO BE TESTED 100% FOR CONTINUITY AND POLARITY.
- CONNECTOR VIEW SHOWN IS FROM MATING SIDE.
- LABEL TEXT MUST BE 2 MM MAX. IN HEIGHT WITH ARIAL FONT.
- LABEL MUST BE WRAPPED IN FLAG TYPE ON A SINGLE CABLE.
- TINNING SHOULD BE DONE WITH LEAD FREE SOLDER BAR ONLY.
- FREE ENDS MUST BE STRIPPED, TWISTED & TINNED.
- THE LENGTH OF TINNING IS 5±1 MM. TINNING DIA MUST BE 0.9MM MAX.

| REVISION | | | |
|------------|-----|-----------------|---------|
| DATE | REV | DESCRIPTION | CHANGER |
| 2022/02/12 | A | INITIAL RELEASE | THANUB |

| | | | | |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2022/12/23 | 12:42:18 |
|-----------------|----|--------------|------------|----------|

| | | | | | |
|--|---|------------------------|-------------------|-----------------|--|
| FUNCTIONAL SYMBOLS $\nabla_A = 0$ $\nabla_E = 0$ $\nabla_P = 0$ DIVISIONAL SYMBOLS | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | CURRENT REV DESC: | | <p>SEE TABLE</p> <p>PRODUCT CUSTOMER DRAWING</p> |
| | DIMENSION UNITS | SCALE | EC NO: 732309 | | |
| | mm | NTS | DRWN: PRAVES6 | 2022/12/02 | |
| | GENERAL TOLERANCES (UNLESS SPECIFIED) | | CHK'D: SKUMAR07 | 2022/12/23 | |
| ANGULAR TOL ± ° | | APPR: SKUMAR07 | 2022/12/23 | DOCUMENT NUMBER | |
| 4 PLACES ± | | INITIAL REVISION: | | 2219591080 | |
| 3 PLACES ± | | DRWN: PRAVES6 | | PSD | 000 |
| 2 PLACES ± | | APPR: SKUMAR07 | | A | |
| 1 PLACE ± | | DRWN: PRAVES6 | | SERIES | |
| 0 PLACES ± | | APPR: SKUMAR07 | | 2022/12/02 | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | THIRD ANGLE PROJECTION | DRAWING | MATERIAL NUMBER | CUSTOMER |
| | | | A4-SIZE | SEE TABLE | GENERAL MARKET |
| | | | 221959 | SHEET NUMBER | |
| | | | | 1 OF 1 | |