

Specification Sheet

Part Number: TAG22T3-100B



Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 3 Across, VL, White, 5000/roll

Article Number

596-00007

Type

TAG22T3

Color

White (WH)

Features & Benefits

- HellermannTyton Self-Laminating Labels come on rolls on a standard 3" core for easy loading into a printer or caddy.
- Labels are conformable so that they can bend around small gauge wires and tight bends without coming loose over time.
- Labels are UL recognized for indoor and outdoor use to expand application options.
- HellermannTyton thermal transfer labels work in any thermal transfer printer so that the user always has options to get labels printed without being locked into a single vendor.

Quantity Per

roll

Product Description

HellermannTyton thermal transfer self-laminating labels are a conformable vinyl film with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels are UL recognized for indoor and outdoor use with an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

Short Description

Thermal Transfer Labels, Self-Laminating, 1.0" x .5" x 1.43", 3 Across, VL, White, 5000/roll

Global Part Name

TAG22T3-100B-WH

Width W (Imperial)

1.0

Width W (Metric)

25.4

Bundle Diameter Min (Imperial)

.06

Bundle Diameter Min (Metric)

1.50

Bundle Diameter Max (Imperial)

0.29

Bundle Diameter Max (Metric)

7.37

Thickness T (Metric)

25

Width of Liner (Metric)

85.09

Width of Liner (imperial)

3.35

Material

Type 100B

Material Shortcut 100B

Adhesive Acrylic

Halogen free No

Adhesive Operating Temperature -51°F to +200°F (-46°C to +93°C)

Operating Temperature (Metric) -40°F to +194°F (-40°C to +90°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Certification/Specification WEB UL-Recognized

UL Recognized (US) Yes

Package Quantity(Imperial) 5000

Package Quantity (Metric) 5000

Customs Number 3919102055

Content Unit(BMEcat) pcs.

Labels per Column 1

Labels per Row 3

Weight (Metric) 1.176

Weight (Imperial) 2.57

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)