



Data

Technical data

Connection type

M12 socket

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Pole number	5
Connection point (shielded)	yes
Cable connection direction to mating direction	0°
Connector interface coding (cable/adaptor) 1 1	A-coded
Contact resistance	≤3 mΩ

Connection data

Connection type 1	Spring clamp technology
Solid conductor	0.14 ... 0.5 mm ² / 20 AWG

Mechanical Data

Connectable sheathed cable diameter	6 ... 8 mm
Housing material	Zinc die casting, nickel plated
Contact material	CuZn
Contact plating	Gold
Dichtungsmaterial	Seal: Neoprene; O-Ring: Viton
Mating cycles (max.)	100
Weight	13.5 g

Environmental requirements

Ambient temperature (operation)	-25 ... +85 °C
Protection type	IP67
Note on protection type	in locked position
Pollution degree	3

Commercial data

eCl@ss 10.0	27-24-26-92
eCl@ss 9.0	27-24-26-92
ETIM 8.0	EC002584
ETIM 7.0	EC002584
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454640231
Customs tariff number	85366990990

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

CAS-No.	7439-92-1 96-45-7
REACH Candidate List Substance	Ethylene thiourea Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	16e25611-3eeb-4e14-b0b0-9de9a531234a
SCIP notification number (Belgium)	d7f6984a-4cb7-4c8c-bd73-2acbb374df66
SCIP notification number (Bulgaria)	985de51e-785e-4e70-adf3-58188d0c6789
SCIP notification number (Czech Republic)	10d6bbe6-d59a-4415-a72a-d417e643940b
SCIP notification number (Denmark)	a484cf66-d079-4736-9535-f16e352bb862
SCIP notification number (Finland)	8907b5a5-596a-47d6-b4a9-d83fce640916
SCIP notification number (France)	720795b0-332d-4c1a-b8a9-a5699509bd68
SCIP notification number (Germany)	b1617cb4-8d42-42bd-89a1-0ff12cc212b0
SCIP notification number (Hungary)	6d5253af-8255-4541-9380-c2d2391f0334
SCIP notification number (Italy)	ca8636a9-8058-4ea7-98f4-8ac75cabaa81
SCIP notification number (Netherlands)	ca00f2b5-fc31-4129-ba42-528dc60495bb
SCIP notification number (Poland)	0e8b311b-5a94-4687-a89b-d98d330e6934
SCIP notification number (Romania)	8f46eb60-79b0-46ed-aade-54544ca45258
SCIP notification number (Sweden)	01f7a7c0-e085-4294-9d13-7ea699328f21

Downloads

Documentation

Bid Text

756-9208/060-000 X81 - Datei	2019 Feb 19	xml 2.7 kB	Download
756-9208/060-000 doc - Datei	2017 Sep 20	doc 24.6 kB	Download

System Description

IP67 Cables and Pluggable Connectors	pdf 161.6 kB	Download
--------------------------------------	-----------------	----------

Subject to changes. Please also observe the further product documentation!



CAD/CAE-Data

CAE data

WSCAD Universe 756-9208/060-000	URL	Download
WSCAD Universe 756-9208/060-000	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 756-9208/060-000 Accessories; M12 socket, straight; 5-pole	URL	Download
--	---------------------	--------------------------

Installation Notes

Subject to changes. Please also observe the further product documentation!