





- NOTES:
1. MATERIAL: LCP, GLASS FILLED, 94V-0, BLACK
CONTACTS: COPPER ALLOY
 2. FINISH: SELECT GOLD 30 M.I.MIN
SELECT TIN: 100 M.I.MIN
BOTH OVER NICKEL
 3. PRODUCT SPECIFICATION: PS-45424-001
 4. PACKAGING SPECIFICATION: PK-45483-001
 5. THIS PART CONFORMS TO CLASS B REQUIRMENTS OF COSMETIC SPEC PS-45499-002.



PCB LAYOUT: COMPONENT SIDE
PCB THKNESS: 2.361.093
PCB TOLERANCE: ±0.05/.002



INITIAL RELEASE EC NO: UCP2007-2759 DRWN: JSCHAFFER CHKD: APATEL APPR: APATEL 2007/05/04 2007/05/03 2007/05/03	DESCRIPTION 2007/05/04 2007/05/03	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:2	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY JSCHAFFER	DATE 2007/4/26	TITLE POWER DOCK ASSY SOCKET VERT SOLDER TAIL				
			4 PLACES	± ---	± ---	CHECKED BY APATEL	DATE 2007/4/27					
			3 PLACES	± ---	± .010	APPROVED BY APATEL	DATE 2007/4/30	MOLEX INCORPORATED				
2 PLACES	± 0.25	± .015	ANGULAR ± 1/2°		MATERIAL NO. 45483-0410	DOCUMENT NO. SD-45483-0410	SHEET NO. 1 OF 1					
1 PLACE	± 0.38	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						