

## Specification Sheet

Part Number: 151-01829



Patented retention design features inverted retaining legs, narrow opening and circular retainer to prevent inadvertent disengagement. Controlled flex and angled entry promote easy installation.

Non-rotating fir tree demonstrates easy insertion with high extraction resistance.

<b>Article Number</b>	151-01829
<b>Type</b>	MOC26FTOVAL
<b>Color</b>	Black (BK)
<b>Quantity Per</b>	carton
<b>Product Description</b>	The MOC with Oval Fir Tree features HellermannTyton's unique retention clip attached to a 4x oval fir tree that will not rotate in the mounting hole. The mount delivers a low insertion force while exhibiting high extraction resistance for a secure mounting point against a panel. This one design exceeds automotive requirements for the four most common oval sizes: 6.2x12.2 mm, 6.5x12.5 mm, 6.5x13 mm and 7x12 mm.
<b>Short Description</b>	MOC Clip, 26 mm, with 4 x Oval Fir Tree, PA66HIRHSUV, Black, 1000/ctn

**Global Part Name** MOC26FTOVAL-PA66HIRHSUV-BK

**Length L (Imperial)** 1.36

**Length L (Metric)** 34.5

**Fixation Method** Fir Tree

**Bundle Diameter Min (Imperial)** 0.91

**Bundle Diameter Min (Metric)** 23.0

**Bundle Diameter Max (Imperial)** 1.14

**Bundle Diameter Max (Metric)** 29.0

**Height H (Imperial)** 2.29

**Height H (Metric)** 58.1

**Depth D (Imperial)** 0.47

**Depth D (Metric)** 12.0

**Panel Thickness Min (Imperial)** 0.02

**Panel Thickness Max (Imperial)** 0.27

**Panel Thickness Min (Metric)** 0.60

**Panel Thickness Max (Metric)** 6.75

<b>Mounting Hole Diameter D (Imperial)</b>	0.24 x 0.48"; 0.26 x 0.49"; 0.26 x 0.51"; 0.28 x 0.47 "; 0.27" x 0.47
<b>Mounting Hole Diameter D (Metric)</b>	6.5 x 12.5 mm 6.5 x 13.0 mm 6.2 x 12.2 mm 7.0 x 12.0 mm
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-40°F to +230°F (-40°C to +110°C)
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	1000
<b>Customs Number</b>	3926909988