Mounting Option
01-No Mounting Lugs
Contact Detail
544-Wire Wrap .050x.025(1.27x0.64) - Tail LG=.760(19.30)
.100 [2.54] Contact Spacing x .200 [5.08] Row Spacing

0.746 [18.95]

0.600 [15.24]

Card Slot Accepts
.054 [1.37] to .070 [1.78]
Thick P.C. Board

0.370 [9.40]

.240 [6.10] Point of Contact

A

0.590 [14.99]

A

SECTION A-A

See Accompanying Pages for:
- **Contact Bend Details**
- **Mounting Options**

842/892 Series High Temp Card Edge Connector
Part Number: 842-010-544-201

EDAC INC
TORONTO, ONTARIO
CANADA
YOUR CONNECTION TO QUALITY & SERVICE

0.645 [16.38]
0.245 [6.22]

0.645 [16.38]
0.295 [7.49]

0.120 [3.05]
0.255 [6.48]

0.095 [2.41]
0.180 [4.57]

0.165 [4.19]
0.385 [9.78]

0.200 [5.08]
0.060 [1.52]

0.150 [3.81]
0.060 [1.52]

.125 [3.18] to .210 [5.33]
Outside Tails
.045 [1.14] to .060 [1.52]
Between Tails

.125 [3.18] to .185 [4.70]
Outside Tails
.045 [1.14] to .060 [1.52]
Between Tails

.125 [3.18] to .210 [5.33]
Outside Tails
.045 [1.14] to .060 [1.52]
Between Tails

555 Contact Code

556 Contact Code

558 Contact Code

559 Contact Code

560 Contact Code

842/892 Series High Temp Card Edge Connector
Contact Bend Detail

ACAD REFERENCE NO.   842 ENG MASTER
DRAWN: J.LEE   DATE: OCT. 06/09
CHECKED: DATE:
SCALE: NTS   SHEET 2 OF 3

EDAC INC
TORONTO, ONTARIO
CANADA
YOUR CONNECTION TO QUALITY & SERVICE

DRAWING NUMBER
842 Assembly

ISSUE
1

.010 [0.25]
Radial Float

0.116 [2.95] I.D.
Floating Eyelets

.128 [3.25] x
.146 [3.71] Slot

0.250 [6.35] Dia.

.156 [3.96] Dia
Through Holes

M3-0.5 Metric
Threaded Insert

#4-40 UNC
Threaded Insert

0.135 [3.43]

0.005 [0.13]

0.348 [8.84]

.128 [3.25] Dia
Through Holes

Code x01   Code x02   Code x03   Code x04   Code x07   Code x08   Code x12

842/892 Series High Temp Card Edge Connector Mounting Options	ACAD REFERENCE NO.	842 ENG MASTER	
	DRAWN: J.LEE	DATE: OCT. 06/09	
	CHECKED:	DATE:	
EDAC INC TORONTO, ONTARIO CANADA	SCALE: NTS	SHEET 3 OF 3	
	DRAWING NUMBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	842 Assembly		1