

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **0349056450**
Status: **Active**
Overview: Mini50 Connection Systems
Description: CTX50 Receptacle Terminal, Sealed, Silver, S-Grip, B-Wind, Right Payoff, Wire Insulation Diameter 0.95-1.05mm

Documents:

Drawing (PDF)	Packaging Specification 313025040-000 (PDF)
Product Specification PS-34905-0001-001 (PDF)	Datasheet (PDF)
Application Specification 349050001-AS-CH-000 (PDF)	RoHS Certificate of Compliance (PDF)
Application Specification AS-34905-001-001 (PDF)	

General

Product Family	Crimp Terminals
Series	<u>34905</u>
Application	Power, Wire-to-Board
Crimp Quality Equipment	Yes
Overview	<u>Mini50 Connection Systems</u>
Product Name	CTX50
UPC	191130050055

Physical

Gender	Female
Grip Code	S
Material - Metal	Copper Alloy
Material - Plating Mating	Silver
Net Weight	0.072/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	0.95-1.05
Wire Size AWG	N/A
Wire Size mm ²	0.13


Electrical

Current - Maximum per Contact	5.0A
Voltage - Maximum	14V DC

Material Info

Reference - Drawing Numbers

Application Specification	349050001-AS-CH-000, AS-34905-001-001
Packaging Specification	313025040-000
Product Specification	PS-34905-0001-001
Sales Drawing	349050400-000



EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

34905 Series

Use With

Mini50 Sealed Receptacle Housing 34967

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Hand Crimp Tool for CTX50 Small Grip Sealed Receptacle Terminals, 0.13mm ² FLR2X CUSN Wire	<u>2002184300</u>
Extraction Tool for CTX50 Contacts for Mini50 Sealed Connection System	<u>638247500</u>

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION