

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)











NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)


628-9W4-224-1TB

21W4 Male/Female

SWS Male		8008 Male					
- 23.53 - 1449 	47.05 		a see	33.30 		63.50 31.75 31.75 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
			11W1	Male/Female	27W2 Male/Fema	e	
5W5 Female	47.05 	8W8 Female	Berge	33.30 16.65 9.70 8.31 9.70 8.31 9.70 8.31 9.70 8.31 9.70 8.31 9.70 8.31 9.70 8.31 9.70		2350 31.75 2 15.24 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	- Seite
ļ _≠ 6.38 ₊	, _6.86 ,↓	<u> 636 </u> .7.04_	17W2	Male/Female	21W1 Male/Fema	le	
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ΦA	HZ + -	47.00		47.05 2 23.85 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	528
					SW REFERENCE NO.: 628 COMBO ASSEMBLY		
		CC			DRAWN: C.B	DATE: JAN. 01/2	019
						DATE:	
	RIES FULLY CONFORMS TO		EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION	SCALE: N.T.S	SHEET 3 OF	4
	ROPEAN UNION DIRECTIVES EU FOR RoHS COMPLIANCY.				DRAWING NUMBER: 628-9W4	-224-1TB	ISSUE
		YOUR CONNECTION TO QUA	LITY & SERVICE		ART NUMBER: 628-9W4-224-1TB		1

WITHOUT WRITTEN PERMISSION.

5W5 Male



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 목





13W6 Male



43W2 Male






17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



2.77


43W2 Female





17W5 Male











47W1 Female

\$1 ⁹	277
SW REFERENCE NO.: 628 C	OMBO ASSEMBLY
DRAWN: C.B	DATE: JAN. 01/2019
CHECKED:	DATE:
SCALE: N.T.S	SHEET 4 OF 4
DRAWING NUMBER: 628-9W4-	-224-1TB ISSUE
PART NUMBER: 628-9W4	-224-1TB 1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	COMBINATION	D-SUB
EDAC YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA D QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

